



ALPHA/BETA/DELTA

Parts Manual
Serial # Over 3500

 **labrie** | DRIVE EXCELLENCE™

www.labriegrup.com



labrie*plus*

Thank you for your purchase of a new Labrie™, Leach™ or Wittke™ product. To ensure maximum reliability, insist on genuine **labrieplus** replacement parts. LabriePlus replacement parts are designed and manufactured to exacting standards. The use of counterfeit, will-fit or substitute parts may effect the operation and performance of the unit.

Visit our Website at usa.labrieplus.com or canada.labrieplus.com, or contact us at 1-800-231-2771 (in the U.S.) or 1-877-452-2743 (in Canada), twenty-four hours a day, seven days a week. We are available to help you with any questions or concerns.



PREFACE

The Alpha, Beta and Delta rear loaders over serial number 3500 share many safety, operational and design similarities. This manual combines the necessary information for these models into one publication.

FOREWARD

The Leach Company has been a leader in the refuse industry for over 100 years. The Leach Alpha, Beta and Delta are the industry standard for both quality and performance. We at the Leach Company are justifiably proud of the quality engineering, material and workmanship that goes into each and every packer we produce. This commitment to quality extends to the best parts, service and distributor organization in the industry.

One area of great importance to us at the Leach Company is your safety. This unit was built in accordance with the American National Standards Institute (ANSI) standard for Mobile Refuse Collection and Compaction Equipment - Safety Requirements, ANSI Z245.1 - 1992. Before operating this unit please read and understand the safety precautions found in Section 1 of the Service and Operators manual. They are important and are provided to assist you in the safe operation of the unit.

This manual was produced with the latest information available at the time of publication. We do, however, reserve the right to redesign and/or discontinue the manufacture of parts, components or assemblies at any time. The Leach Company has an aggressive manual and product improvement program. In any conversation or correspondence dealing with information provided in any Leach manual please refer to the part number of that manual located in the lower right hand corner of rear cover.

The manuals provided with the unit are considered a permanent part of the unit and should be included in event of a resale. Additional manuals are available, free of charge, from your local authorized Leach distributor. These manuals should be kept readily available for easy reference. We ask that if you have comments or suggestions concerning this manual please contact us at (920) 231-2770. We are here to be of service to you, our valued customers.

LEACH
*Signature*TM
Original Factory Parts

LEACH[®]

WARRANTY

LEACH® C O M P A N Y

Refuse bodies manufactured by Leach Company, ("Company") are supplied and sold under a Limited Warranty that they are and will remain free of defects in workmanship or material for a period of six (6) months from the date of original sale under reasonable conditions of use and operation, providing required planned maintenance services are performed. Extended warranty packages are available for purchase. If a failure occurs during said period because of such defect in the opinion of the Company, the component or part shall be repaired or replaced by an authorized Leach Distributor at no cost to the customer provided the unit is brought to the distributor's service facility. After three (3) months, performance of adjustments or the replacement of wear/expendable components is not covered under warranty. This limited warranty is the sole and exclusive warranty of the Leach Company.

THE COMPANY MAKES NO WARRANTY AS TO MERCHANTABILITY, FITNESS FOR USE, LEGALITY OF OPERATION IN ANY JURISDICTION OR ANY IMPLIED WARRANTY OF ANY KIND OR NATURE. THE COMPANY SHALL NOT BE LIABLE FOR ANY SPECIAL OR CONSEQUENTIAL DAMAGES OF ANY KIND OR NATURE, OTHER THAN ITS LIMITED WARRANTY OF REPLACEMENT HEREIN. NO OTHER PERSON, FIRM, OR CORPORATION CAN BIND THE COMPANY TO ANY WARRANTY OTHER THAN HEREIN ABOVE STATED.

To validate the new unit warranty, an authorized Leach Distributor must have completed a pre-delivery inspection before the unit is placed into service, and the delivery report form signed by both the customer and the distributor must be submitted to the Leach Service Department.

Because Company products are engineered to work only with genuine Company parts, this limited warranty will be void and of no effect if: (a) Company products are modified other than as done at its factory or as authorized to be done by the factory in writing; or (b) Parts or assemblies of any other manufacturer are used as substitutes for genuine Company parts.

Genuine Leach replacement parts, components and assemblies are also sold under a Limited Warranty to be free from defects in workmanship or material for a period of six (6) months. This is a replacement only warranty and the item must be returned to the Leach distributor for exchange. The labor to replace or repair the part shall be the responsibility of the customer. There is no warranty on expendable items, wear components or used parts.

Leach Company reserves the right to redesign and/or discontinue the manufacture of parts, components and assemblies at any time.

TABLE OF CONTENTS

| | | | |
|---|------|------------------------|------|
| ORDERING PARTS | IFC | PTO Controls, Air..... | 6-10 |
| PREFACE | I | | |
| FORWARD | II | | |
| WARRANTY | III | | |
| TABLE OF CONTENTS | IV | | |
| TORQUE VALUES CHART | V | | |
| | | | |
| SECTION 1 Tailgate | | | |
| Decals..... | 1-2 | | |
| Tailgate Weldment..... | 1-5 | | |
| Tailgate Assembly..... | 1-9 | | |
| Tailgate Electrical..... | 1-12 | | |
| Rear Controls | 1-16 | | |
| Carrier and Packer Panel..... | 1-18 | | |
| Tailgate Props..... | 1-20 | | |
| | | | |
| SECTION 2 Body | | | |
| Mud Guard Assembly..... | 2-1 | | |
| Body Weldment-20 Yard..... | 2-3 | | |
| Body Electrical..... | 2-5 | | |
| | | | |
| SECTION 3 Pushout Panel | | | |
| Pushout Cylinder Mounting..... | 3-1 | | |
| Pushout Panel..... | 3-2 | | |
| | | | |
| SECTION 4 Hydraulics | | | |
| Tank Assembly..... | 4-1 | | |
| Top and Front Hydraulics..... | 4-5 | | |
| Pushout Cylinder Hydraulics..... | 4-7 | | |
| Tube Supports..... | 4-8 | | |
| Main Control Valve (MCV) Supply and Return..... | 4-9 | | |
| Packer Cylinder Hydraulics-Alpha/Beta..... | 4-11 | | |
| Packer Cylinder Hydraulics-Delta..... | 4-12 | | |
| Carrier Cylinder Hydraulics-Alpha/Beta..... | 4-13 | | |
| Carrier Cylinder Hydraulics-Delta..... | 4-15 | | |
| Spin-On Filter (Optional) 407192..... | 4-16 | | |
| Tailgate Lift Hydraulics..... | 4-17 | | |
| | | | |
| SECTION 5 Valves | | | |
| Front Control Valve (FCV) Installation..... | 5-1 | | |
| Front Control Valve..... | 5-2 | | |
| Valve-Tipper Control-Before AL/BE s/n 4226, DE s/n 5052..... | 5-3 | | |
| Valve-Tipper Control-After AL/BE s/n 4225, DE s/n 5051..... | 5-4 | | |
| Valve- Regen..... | 5-5 | | |
| Main Control Valve (MCV)-Alpha/Beta..... | 5-6 | | |
| Main Control Valve (MCV)-Delta Before s/n 5053.... | 5-8 | | |
| Main Control Valve (MCV)-Delta After s/n 5052..... | 5-10 | | |
| | | | |
| SECTION 6 Pumps | | | |
| Leach PTO Pump 307451-01..... | 6-1 | | |
| Leach Front Mounted Pump 204071..... | 6-2 | | |
| Front Pump (Muncie)..... | 6-3 | | |
| Pump, Dry Valve (Typical)..... | 6-5 | | |
| Leach PTO Pump Mounting..... | 6-7 | | |
| Hotshift PTO Controls..... | 6-9 | | |
| | | | |
| SECTION 7 Cylinders | | | |
| Packer Cylinder-Alpha 210658..... | 7-1 | | |
| Packer Cylinder-Beta 406578..... | 7-2 | | |
| Packer Cylinder-Delta 601366..... | 7-3 | | |
| Carrier Cylinder-Alpha/Beta 210659..... | 7-4 | | |
| Carrier Cylinder-Delta 210628..... | 7-5 | | |
| Tailgate Lift Cylinder..... | 7-6 | | |
| Telescoping Cylinder 210630-05- 25 Yard..... | 7-7 | | |
| Pushout Cylinder 14, 16, 18, 20 Yard..... | 7-8 | | |
| Container Lifting Device Cylinder 406582..... | 7-9 | | |
| HCA Cylinder 407028..... | 7-10 | | |
| | | | |
| SECTION 8 Mounting | | | |
| Electrical Components..... | 8-1 | | |
| Mounting Hardware-Before AL/BE s/n 4212, DE s/n 5059..... | 8-3 | | |
| Mounting Hardware-After AL/BE s/n 4211, DE s/n 5058..... | 8-5 | | |
| Speed Up (Electrically Operated)..... | 8-7 | | |
| Speed Up (Air Operated)..... | 8-8 | | |
| | | | |
| SECTION 9 Options | | | |
| 8000 Lb. Winch Assembly..... | 9-1 | | |
| 8000 Lb. Winch 100375 and Motor 101770..... | 9-3 | | |
| 12,000 Lb. Winch Assembly..... | 9-5 | | |
| Hydraulic Motor 100597..... | 9-6 | | |
| 12,000 Lb. Winch 100596..... | 9-7 | | |
| Latch and Guide Ear Assembly-Before AL/BE s/n 4046, DE s/n 5052..... | 9-9 | | |
| Latch and Guide Ear Assembly-After AL/BE s/n 4045, DE s/n 5051..... | 9-11 | | |
| Container Push Bar (CPB)..... | 9-13 | | |
| Container Lift Cylinder..... | 9-15 | | |
| Container Lift Hydraulics..... | 9-17 | | |
| Tipper Hydraulics, Dual Tippers..... | 9-19 | | |
| Tipper Hydraulics, Single Tipper..... | 9-21 | | |
| Fire Extinguisher Option..... | 9-23 | | |
| Paper Basket Option..... | 9-24 | | |
| Tool Box Option..... | 9-25 | | |
| Water Cooler Holder Option..... | 9-26 | | |
| Side Ladder Option..... | 9-27 | | |
| | | | |
| SECTION 10 Service Tools | | | |
| Tools..... | 10-1 | | |
| | | | |
| MANUAL AND LITERATURE ORDER FORM REWARD | | | |




CAPSCREW MARKING AND TORQUE VALUES

| Usage | Much Used | Used at Times | Used at Times |
|--|---|--|---|
| Capscrew Diameter & Minimum Tensile Strength PSI | To 3/4 - 120,000 To 1 - 115,000 | To 5/8 - 140,000 To 3/4 - 133,000 | 150,000 |
| Quality of Material | Min. Commercial | Med. Commercial | Best Commercial |
| SAE Grade Number | 5 | 6 or 7 | 8 |
| CAPSCREW HEAD MARKINGS Manufacturer's marks may vary. These are all SAE Grade 5 (3-line.)  |  |   |  |
| Capscrew Body Size (Inches) - (Thread) | Torque Ft-Lb (kg m) | Torque Ft-Lb (kg m) | Torque Ft-Lb (kg m) |
| 1/4 - 20 | 8 (1.11) | 10 (1.38) | 12 (1.66) |
| - 28 | 10 (1.38) | | 14 (1.94) |
| 5/16 - 18 | 17 (2.35) | 19 (2.63) | 24 (3.32) |
| - 24 | 19 (2.63) | | 27 (3.73) |
| 3/8 - 16 | 31 (4.29) | 34 (4.70) | 44 (6.09) |
| - 24 | 35 (4.84) | | 49 (6.78) |
| 7/16 - 14 | 49 (6.78) | 55 (7.61) | 70 (9.68) |
| - 20 | 55 (7.61) | | 78 (10.79) |
| 1/2 - 13 | 75 (10.37) | 85 (11.76) | 105 (14.52) |
| - 20 | 85 (11.76) | | 120 (16.60) |
| 9/16 - 12 | 110 (15.21) | 120 (16.60) | 155 (21.44) |
| - 18 | 120 (16.60) | | 170 (23.51) |
| 5/8 - 11 | 150 (20.75) | 167 (23.10) | 210 (29.04) |
| - 18 | 170 (23.51) | | 240 (33.19) |
| 3/4 - 10 | 270 (37.34) | 280 (38.72) | 375 (51.86) |
| - 16 | 295 (40.80) | | 420 (58.09) |
| 7/8 - 9 | 395 (54.63) | 440 (60.85) | 605 (83.67) |
| - 14 | 435 (60.16) | | 675 (93.35) |
| 1 - 8 | 590 (81.60) | 660 (91.28) | 910 (125.85) |
| - 14 | 660 (91.28) | | 990 (136.92) |

NOTES:


1. Always use the torque values listed above when specific torque values are not available.
2. The above is based on use of clean, dry threads.
3. Reduce torque by 10% when engine oil is used as a lubricant.
4. Reduce torque by 20% if new plated capscrews are used.
5. General Formula for calculating Torques is as follows: Torque in Inch Lbs. = .2 x Nominal Diameter of Screw x Loads in Lbs., where Load = 80% of Yield Strength, expressed in Lbs., not pounds per square inch.



1*



2




3*



4



5



8



6




7



9*




10



11*



12*



15



14



13



16



19



17*



18*

* For placement and application of these decals refer to the Alpha/Beta/Delta Service Manual.

SECTION 1

DECALS

WARNING
Do not operate vehicle in excess of 20 mph from the stand-up position.

20

CAUTION

- Cylinder under spring compression.
- Use care when disassembling by loosening nuts equally to safely relieve spring tension.
- Failure to do so may result in personal injury.

24

DANGER

Stand clear when packer panel is in motion.

27

WARNING

- Keep access door closed when ejector panel is in motion.
- Use only the side access door to enter or exit the body.
- Do not open access door unless:
 - all pressure against ejector panel has been relieved.
 - engine is stopped and key removed.

21

CAUTION

Serious pump damage will result if vehicle is operated at highway speed with pump engaged. Move unit with pump engaged only as required to perform its function as a refuse collection/compactor vehicle at speeds less than 10 mph.

22

CAUTION

Serious pump damage will result if pump is run dry. Disconnected pump drive to run engine if tank valve is required to be closed or if oil tank is not at proper fill level.

23

WARNING

CONTAINER FALLING/ SWINGING HAZARD

- While container is off the ground
- Secure both container latch arms are locked
- Do not operate packing cycle
- Do not stand or cross under

Latches will secure straight container frame/pivot bars which meet ANSI Z245.6 container dimensions shown below:

The container attachment on this compactor as originally mounted is compatible with ANSI Z245.6 containers.

25*

DANGER

Stand clear when container dumping mechanism is in motion.

26

DANGER

- Stand clear when tailgate is in motion & during unloading cycle.
- Do not stand or cross under raised tailgate.

28

WARNING

To prevent possible serious injury or death, do not use this refuse collection vehicle to tow other equipment. It is not intended, designed or equipped for towing.

29

WARNING

- Falling hazard.
- Do not operate vehicle at speeds in excess of 10 mph, for distances over 2 tenths mile or in reverse gear when rider or riders are on riding steps.

30

LINE PULL

31*

PTO
ON OFF

32

WARNING

This vehicle requires overhead clearance as originally mounted.

33

UNLOADING INSTRUCTIONS FOR PUMP CLAMP PUSHDOWN SYSTEM

WARNING Be sure tailgate area is clear of all persons before operating controls.

34

2R11 PACKING OPERATION INSTRUCTIONS

WARNING Be sure all persons are clear of hopper opening before operating controls.

35

SOLENOID MUST BE OFF WHEN TRUCK IS PARKED.
ON OFF

36

WARNING
TAILGATE OPEN

38

TAILGATE
TAILGATE
TAILGATE

39

UNLOADING INSTRUCTIONS FOR TELESCOPIC PUSHOUT SYSTEM

WARNING Be sure tailgate area is clear of all persons before operating controls.

40

WARNING

- Do not transport container on lift mechanism.
- Transporting a container could result in personal injury or property damage.

41*

WARNING

YOU MUST NOT OPERATE OR SERVICE THIS MACHINE UNLESS:

- You are qualified by training and experience in the safe operation of this machine.
- Training includes complete knowledge of your employer's work rules, instructions, regulations, and manufacturer's operator and safety manuals relative to this machine's safe use.

AN UNTRAINED OPERATOR SUBJECTS HIMSELF AND OTHERS TO DEATH OR SERIOUS INJURY.

42

WORK LIGHT
ON OFF

46

WARNING

- Stand facing truck side. Use both hands on grab handles.
- Pushing steps should not be used when:
- Speeds are expected to exceed 10 mph or when clearance required without stepping will exceed 2 feet, of over 10 ft.
- Vehicle is moving backward.
- Do not mount or dismount riding steps when vehicle is in motion.
- Do not ride on trailing end of or on container attachment.

43

WARNING

DO NOT ENTER UNLESS:

- All pressure against ejector panel has been relieved.
- Engine is stopped and key removed.

44

WINCH
WINCH
WINCH

45*

STROBE LIGHT
ON OFF

37

* For placement and application of these decals refer to the Container Handling Manual or Alpha/Beta/Delta Service Manual.


LEACH®

DECALS

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|--|---------|
| 1 | 209076 | TIPPER, Left Hand | 1 |
| | 209075 | TIPPER, Right Hand | 1 |
| 2 | 108139 | PACKER | 1 |
| 3 | 209974 | OPERATING INSTRUCTIONS, Container Dump | 1 |
| 4 | 100895 | SPEED UP, Engine | 1 |
| 5 | 40642 | HYDRAULIC FLUID ONLY | 1 |
| 6 | 104154 | ANSI CONFORMITY | 1 |
| 7 | 100894 | DRIVER SIGNAL | 1 |
| 8 | 100890 | FILTER ELEMENT CHANGE | 1 |
| 9 | 41637 | NO STEP | 1 |
| 10 | 100351 | BEACON LIGHT | 1 |
| 11 | 108073 | HYDRAULIC PUSH BAR | 1 |
| 12 | 106544 | FLAG | 1 |
| 13 | 108140 | CARRIER | 1 |
| 14 | 41894 | WARNING, Chassis PTO | 2 |
| 15 | 40643 | FLUID LEVEL | 1 |
| 16 | 108141 | EJECTION | 1 |
| 17 | 18674 | 12,000 lb. Capacity | 1 |
| 18 | 18673 | 8,000 lb. Capacity | 1 |
| 19 | 108144 | PTO | 1 |
| 20 | 210026 | WARNING, Stand Up Operation | 1 |
| 21 | 210021 | WARNING, Access Door | 1 |
| 22 | 101767 | CAUTION, Pump Damage Highway Speed | 1 |
| 23 | 35210 | CAUTION, Pump Damage Run Dry | 1 |
| 24 | 201580 | CAUTION, Cylinder Spring | 1 |
| 25 | 306327 | WARNING, Latch Arms | 2 |
| 26 | 306299 | DANGER, Container | AR |
| 27 | 38976 | DANGER, Packer Panel | 3 |
| 28 | 38979 | DANGER, Stand Clear | 4 |
| 29 | 306293 | WARNING, Do Not Tow | 1 |
| 30 | 36937 | WARNING, Riding | 1 |
| 31 | 35954 | LINE PULL | 1 |
| 32 | 102960 | PTO On/Off | 1 |
| 33 | 306298 | WARNING, Truck Clearance | 1 |
| 34 | 306169 | UNLOADING Instructions (Clamp) | 1 |
| 35 | 306020 | OPERATING Instructions, Packing | 1 |
| 36 | 109059-01 | SOLENOID | 1 |
| 37 | 105469 | STROBE | 1 |
| 38 | 108163 | WARNING, Tailgate Open | 1 |
| 39 | 108142 | TAILGATE | 1 |
| 40 | 306166 | UNLOADING Instructions (Telescopic) | 1 |
| 41 | 210025 | WARNING, Container Transport | 1 |
| 42 | 210027 | WARNING, Operator or Service | 1 |
| 43 | 36938 | WARNING, Riding Step | 2 |
| 44 | 32711 | WARNING, Do Not Enter | 2 |
| 45 | 108072 | WINCH | 1 |
| 46 | 100350 | WORK, Light | 1 |
| | 406147-04 | KIT, Decals | 1 |
| | 107486 | 2" Red/White Reflective Tape | Per Ft. |
| | 108394 | 1 1/2" Red/White Reflective Tape | Per Ft. |
| | 107681 | 2" White Reflective Tape | Per Ft. |

SECTION 1

TAILGATE WELDMENT




LEACH[®]

TAILGATE WELDMENT

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--|------|
| 1 | 406649 | WELDMENT, Hinge | 1 |
| 2 | 210857 | BAR, Light Guard | 1 |
| 3 | 301911 | EAR, Outside | 2 |
| 4 | 300176 | EAR, Inside | 2 |
| 5 | 403848 | HINGE, Tailgate, Right Hand | 1 |
| | 403849 | HINGE, Tailgate, Left Hand | 1 |
| 6 | 407050 | SHEET, Upper, Right Hand | 1 |
| 7 | 200179 | ANGLE, Closure | 2 |
| 8 | 303752 | BAR, Edge | 2 |
| 9 | 407026 | WELDMENT, Track Channel, Right Hand | 1 |
| | 407025 | WELDMENT, Track Channel, Left Hand | 1 |
| 10 | 211258 | PLATE, closure | 2 |
| 11 | 307426 | PLATE | 2 |
| 12 | 200180 | PLATE, Cover | 2 |
| 13 | 303750 | TUBE, Weldment, Seal Edge, Right Hand | 1 |
| | 303751 | TUBE, Weldment, Seal Edge, Left Hand | 1 |
| 14 | 301372 | PIN, Pivot | 2 |
| 15 | 400124 | BRACE, Pin Pivot, Right Hand | 1 |
| | 400125 | BRACE, Pin Pivot, Left Hand | 1 |
| 16 | 300141 | PLATE | 2 |
| 17 | 15108 | CLAMP ANGLE, Right Hand | 1 |
| | 15109 | CLAMP ANGLE, Left Hand | 1 |
| 18 | 104619 | BAR, Filler | 2 |
| 19 | 205458 | REINFORCEMENT, Latch, Right Hand | 1 |
| | 205457 | REINFORCEMENT, Latch, Left Hand | 1 |
| 20 | 307378 | BRACE, Lower, Right Hand | 1 |
| | 307379 | BRACE, Lower, Left Hand | 1 |
| 21 | 104800 | BAR, Tapped | 8 |
| 22 | 210904 | PLATE, Doubler, Controls | 1 |
| 23 | 211100 | BRACKET, Bearing Block, Upper | 2 |
| 24 | 300508 | REINFORCEMENT, Track Channel | 2 |
| 25 | 301588 | REINFORCEMENT, Tailgate Side | 2 |
| 26 | 15251 | GRAB HANDLE | 4 |
| 27 | 306289 | BRACKET, Combo Light | 2 |
| 28 | 302245 | WELDMENT, Light Bracket | 2 |
| 29 | 211098 | BRACKET, Bearing Block, Center | 1 |
| 30 | 209784 | BRACKET, Bearing Block | 1 |
| 31 | 211259 | GUARD, Tailgate Controls | 1 |
| 32 | 407054 | SHEET, Lower | 2 |
| 33 | 307374 | PLATE, Track Channel Stiffener, Right Side | 1 |
| | 307375 | PLATE, Track Channel Stiffener, Left Side | 1 |
| 34 | 211210 | BRACE, Track Channel Upper, Right Side | 1 |
| | 211209 | BRACE, Track Channel Upper, Left Side | 1 |
| 35 | 302684 | WELDMENT, Light Box | 2 |
| 36 | 605339 | EDGE, Loading | 1 |
| | 605333 | PLATE (not shown) | 1 |
| 37 | 201649 | WELDMENT, Reflector Bracket | 2 |
| 38 | 406762 | TUBING, Rear Edge, Right Hand | 1 |
| | 406761 | TUBING, Rear Edge, Left Hand | 1 |
| 39 | 407049 | SHEET, Upper, Left Hand | 1 |
| 40 | 205934 | BAR, Track Wear | 4 |
| 41 | 204072 | PLATE, Filler | 2 |
| 42 | 403842 | WELDMENT, Hopper, .19 thick | 1 |
| | 405214 | WELDMENT, hopper, .25 thick | 1 |
| | 401676 | LINER, Hopper Bottom (optional) | 1 |
| 43 | 406804 | WELDMENT, Support, Light Bar | 1 |
| 44 | 210753 | WELDMENT, Crossbeam | 1 |
| 45 | 406905 | GUIDE, Fastener, Top Sheets | 2 |
| 46 | 406702 | CHANNEL, Crossbeam, Upper | 1 |


SECTION 1

TAILGATE REINFORCEMENTS, BETA TAILGATES



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---|------|
| 1 | 211326 | REINFORCEMENT, Tailgate Side | 2 |
| 2 | 601377 | GUSSET, Hopper Reinforcement | 1 |
| 3 | 601372 | CAP, Hopper Reinforcement (Not Shown) | 2 |
| 4 | 211327 | CHANNEL, Tailgate Side Reinforcement, Left Side | 1 |
| | 211328 | CHANNEL, Tailgate Side Reinforcement, Right Side | 1 |
| | 601381 | KIT, Hopper Reinforcement (Includes Items 2 & 3) | 1 |
| | 307491 | KIT, Tailgate Side Reinforcement (Includes Items 1 & 4) | 1 |

TAILGATE ASSEMBLY




TAILGATE ASSEMBLY

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---|------|
| 1 | 16211 | SPRING | 11 |
| 2 | F3325 | NUT, Stop, 1/2" UNC | 11 |
| 3 | 2R-1069 | STOP, Wiper Sheet | 6 |
| 4 | 400193 | WIPER, Aluminum | 1 |
| | 403230 | WIPER, Steel | 1 |
| | 103270 | WIPER Assembly, Aluminum, Includes Items 1-2, 4-6 | 1 |
| | 103270-S | WIPER Assembly, Steel, Includes Items 1-2, 4-6 | 1 |
| | 605193 | WIPER Assembly, Heavy Duty Weld In | 1 |
| 5 | 2R-1123 | BOLT | 11 |
| 6 | F6775 | PIN, Cotter, 3/16" X 1" | 11 |
| 7 | 601676 | SEAL, Tailgate, Replaces 102850 | 1 |
| 8 | 301355 | BAR, Seal Side | 2 |
| 9 | F5675 | SCREW, Cap, 3/8" X 1" UNC | 21 |
| 10 | 301356 | BAR, Seal | 1 |
| 11 | PO-1501 | PIN | 2 |
| 12 | PO-1504 | GUIDE, Tailgate | 2 |
| 13 | 301470 | GUIDE, Body, R.h. | 1 |
| | 301469 | GUIDE, Body, L.h. | 1 |
| 14 | PO-687 | WASHER, Flat, Heavy, 1" | 8 |
| 15 | PO-159 | PIVOT, Clamp Bar | 2 |
| 16 | F6850 | PIN, Cotter, 1/4" X 1 1/2" | 2 |
| 17 | PO-247 | BOLT, Tailgate Clamp | 2 |
| 18 | 16162 | BEARING | 2 |
| 19 | PO-2300 | HUB, Clamp | 2 |
| 20 | 16171 | FITTING, Grease | 2 |
| 21 | PO-2303 | HANDLE, Clamp | 2 |
| | PO-2299 | CLAMP Assembly, Tailgate, Includes Items 18-21 | 2 |
| 22 | @0105 | PLUG, Pipe, Square Head, 11/4" NPT | 1 |
| 23 | PO-410 | RETAINER | 2 |
| 24 | 200572 | PIN | 2 |
| 25 | F1325 | SCREW, Cap, 5/8 X 1 1/4" UNC | 2 |
| | F8050 | WASHER, Lock, 5/8" | 2 |
| 26 | F0945 | SCREW, Cap, Nylock, 1/2" X 1 1/4" UNC | 4 |
| | F7350 | WASHER, Flat, 1/2" | 4 |
| 27 | 200312 | COVER, Right | 2 |
| | 200313 | COVER, Left | 2 |
| 28 | 35784 | SPACER | 4 |
| 29 | 204138 | COVER, Track Hole | 4 |
| 30 | 210854 | PLATE, Backing, Threaded | 2 |
| 31 | F1380 | BOLT, 5/8 - 11 X 1 3/4" UNC | 2 |
| 32 | F1380 | BOLT, 5/8 - 11 X 1 3/4" UNC | 2 |
| 33 | 700722 | WELDMENT, Step, Right Hand | 1 |
| | 700721 | WELDMENT, Step, Left Hand | 1 |
| 34 | F1300 | SCREW, Cap, 5/8" X 1" UNC | 1 |
| 35 | 31937 | RETAINER | 1 |
| 36 | PO-420 | PIN, Rod | 1 |
| 37 | PO-421 | RETAINER, Pin | 1 |
| 38 | F0258 | SCREW, Cap, 3/8" X 3/4" UNC | 1 |
| 39 | 16170 | FITTING, Grease | 1 |
| 40 | 406659 | TOP SHEET, Right Hand | 1 |
| 41 | 406660 | TOP SHEET, Left Hand | 1 |
| 42 | 307025 | TOP SHEET, Center, Full | 1 |
| 43 | 307024 | TOP SHEET, Center, Short | 1 |
| 44 | 107860 | NUT, Speed, Foldover | 12 |
| 45 | F8300 | SCREW, Lock, Flange | 12 |
| 46 | 210723 | WELDMENT, Support, Top Sheet | 2 |

SECTION 1

TAILGATE SEAL, FULL EXTENDED (OPTIONAL)




| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---|-------|
| 1 | 603548 | WELDMENT, Extended Seal Plate | 2 |
| 2 | 603544 | BAR, Extended | 4 |
| 3 | 603545 | RUBBER STRIP, Extended Seal | 4 |
| | F5850 | CAPSCREW, Socket Head, 3/8" X 1 1/2" UNC | 20 |
| | F7875 | WASHER, Lock, 3/8" | 20 |
| | F2975 | NUT, 3/8" UNC | 20 |
| 4 | 306887 | BAR, Side, Extended | 2 |
| 5 | 400102 | BAR, Cross | 1 |
| 6 | 601554 | SEAL, Tailgate | 16 FT |
| | F5800 | CAPSCREW, Socket Head, 3/8" X 1 1/4" UNC | 12 |
| | F7875 | WASHER, Lock, 3/8" | 12 |
| | F2975 | NUT, 3/8" UNC | 12 |
| | F5675 | CAPSCREW, Socket Head, 3/8" X 1" UNC | 11 |
| | 900076 | KIT, Extended Seal (Includes Items 1 - 6) | 1 |

LEACH®

SECTION 1

TAILGATE ELECTRICAL



LEACH®


TAILGATE ELECTRICAL

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|------------|--|--------|
| 1 | 405834 | CHANNEL, Light Box | 1 |
| 2 | 405857 | PANEL, Rear Light | 2 |
| 3 | 307090 | WELDMENT, Light Panel and Box | 1 |
| 4 | 107663 | LAMP, Yellow, 4" | 2 |
| | 107665 | LAMP, Yellow, 7" | 2 |
| | 109165 | LAMP, Yellow, 4" LED | 2 |
| 5 | 40620 | GROMMET, 4" | 10 |
| | F4208 | MACHINE SCREW, 10-32 X 1" (use w/ 7" lights) | AR |
| | F2675 | NUT, 10-32 (use with 7" lights) | AR |
| 6 | 107791 | LAMP, Red, 4" | 4 |
| | 107664 | LAMP, Red, 7" | 2 |
| | 109164 | LAMP, Red, 4" LED | 4 |
| 7 | F4208 | MACHINE SCREW, 10-32 X 1" (use w/ 7" lights) | AR |
| | F2675 | NUT, 10-32 (use with 7" lights) | AR |
| 8 | 40624 | LAMP, Marker, Red | 3 |
| | 109166 | LAMP, Marker, Red, LED | 3 |
| 9 | 104977 | GROMMET, Marker | 3 |
| 10 | 209971-01 | PLATE, Leach Logo (white) | 1 |
| | 209971-02 | PLATE, Leach Logo (blue) | 1 |
| | 209971-03 | PLATE, Leach Logo (chrome) | 1 |
| 11 | F8305 | SCREW, Lock, Flange | AR |
| | 107860 | NUT, Speed, Clip (not shown) | AR |
| 12 | 107687 | LAMP, License Plate | 1 |
| 13 | 406808 | BRACKET, License Plate | 1 |
| 14 | 107550 | ALARM, Back Up | 1 |
| 15 | 105433 | LAMP, Utility | 2 |
| 16 | 307149 | BRACKET, Utility lamp | 2 |
| 17 | 107663 | LAMP, Yellow, 4" | 2 |
| | 109165 | LAMP, Yellow, 4" LED | 2 |
| 18 | 107539 | PLUG, Lamp Connection | AR |
| | 109170 | PLUG, Lamp Connection, for LED Lights | AR |
| 19 | 33179 | PUSH BUTTON, Driver Signal | 2 |
| 20 | SK-2093 | BUZZER, Driver Signal (In Cab) | 1 |
| | 604893 | BUZZER, Driver Signal (In Cab) Dual Rate | 1 |
| 21 | 107790 | LAMP, Back Up | 2 |
| 22 | 107539 | PLUG, Lamp Connection | 2 |
| 23 | 16136 | REFLECTOR | 4 |
| 24 | 40624 | LAMP, Marker, Red | 2 |
| 25 | 107534 | GROMMET, 2.5 " | 2 |
| 26 | 2738-0031A | PLUG, Lamp Connection | 2 |
| 27 | 37747 | SWITCH, Tailgate Ajar (Before Alpha/Beta s/n 4160 Delta Before s/n 5056) (NOTE: For Alpha/Beta After s/n 4159, Delta After s/n 5055 See Page 1-14) | 1 |
| 28 | 100327 | SWITCH, Speed Up (Before Alpha/Beta s/n 4160 Delta Before s/n 5056) (NOTE: For Alpha/Beta After s/n 4159, Delta After s/n 5055 See Page 1-14) | 1 |
| | 405869 | HARNESS, Tailgate and Light Bar (not shown) | 1 |
| | 1972-0102A | WIRE, White, # 14 Gauge (not shown) | Per Ft |
| | 1972-0126A | WIRE, Brown, # 14 Gauge (not shown) | Per Ft |
| | 1971-0115A | WIRE, Blue/White Stripe # 14 Gauge (not shown) | Per Ft |

SECTION 1

SPEED UP, AJAR, SPEED LIMIT SWITCHES, ALPHA

BETA AFTER S/N 4159, DELTA AFTER S/N 5055




| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--|------|
| 1 | 605675 | SWITCH, Proximity, Tailgate Ajar | 1 |
| 2 | 605629 | SWITCH, Proximity, Speed Limit | 1 |
| 3 | 605630 | SWITCH, Proximity, Speed Up | 1 |
| 4 | 601996 | SHIM | AR |
| 5 | 602951 | BRACKET, Switch | 1 |
| 6 | F8219 | SCREW, # 8 X 1" | 2 |
| 7 | 602592 | PIN, extended clevis, speed up cut out | 1 |
| | 700332 | PIN, extended clevis, speed up | 1 |
| 8 | F2815 | NUT, Lock, 1/4" UNC | 1 |
| 9 | 104696 | ROD END | 1 |
| | 604128 | SWITCH, optional packer speed up proximity (not shown) | |

LEACH®

SECTION 1

REAR CONTROLS




LEACH®

REAR CONTROLS

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|---|------|
| 1 | 210825 | WELDMENT, Rod, Control Lever | 1 |
| 2 | 307079 | WELDMENT, Tube, Control Lever | 1 |
| 3 | 41162 | BLOCK, Bearing | 4 |
| 4 | 41159 | BUSHING, Large | 4 |
| 5 | 41160 | BUSHING, Small | 2 |
| 6 | F0061 | SCREW, Cap, 1/4" X 2 3/4" UNC | 8 |
| 7 | F2775 | NUT, Nylock, 1/4" UNC | 8 |
| 8 | 306223 | WELDMENT, Control Lever | 2 |
| 9 | 601820 | ROLL PIN, 5/16" X 1 3/4" | 2 |
| 10 | 108229 | KNOB, Control lever | 2 |
| 11 | 107818 | TRIGGER, Speed Up Switch Alpha/Beta before s/n 4159, Delta before s/n 5055 | 1 |
| 12 | 211053 | ROD, Control, Packer/Carrier | 2 |
| 13 | 104696 | CLEVIS, Rod End | 2 |
| 14 | 107616 | PIN, Clevis, 5/16" X 1 1/8" | 2 |
| 15 | F6675 | PIN, Cotter, 3/32" X 1/2" | 2 |
| 16 | F3212 | NUT, Jam, 7/16" UNC | 2 |
| 17 | F3410 | NUT, Jam, 1/2" UNC | 4 |
| 18 | 102291 | ROD END | 2 |
| | 106937-05 | CLEVIS CLIP, For Third and Forth Section | 2 |
| 19 | F0979 | SCREW, Cap, 1/2" X 1 1/2" UNC | 2 |
| 20 | F3300 | NUT, Nylock, 1/2" UNC | 2 |
| 21 | 16172 | FITTING, Grease | 2 |
| 22 | F7475 | WASHER, Flat, 3/4" | 1 |
| 23 | 210823 | WELDMENT, Tube, Control Lever | 1 |
| 24 | 210821 | WELDMENT, Rod, Control Lever (4th Section Only) | 1 |
| 25 | 211053 | ROD, Control (Options) | 2 |
| 26 | 108287 | KNOB, Control | 2 |

SECTION 1

CARRIER AND PACKER PANEL




CARRIER AND PACKER PANEL

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|---|--------|
| 1 | 402077 | WELDMENT, Cylinder Mount, Left Hand | 1 |
| 2 | 402075 | WELDMENT, Cylinder Mount, Left Hand, Tapped | 1 |
| 3 | 202896 | PIN, Packer Cylinder, Case End | 2 |
| | 204469 | SPACER | 2 |
| | F0945 | SCREW, Cap, 1/2" X 1 1/4" UNC | 2 |
| 4 | 300538 | WELDMENT, Front Tube | 1 |
| 5 | 402074 | WELDMENT, Cylinder Mount, Right Hand, Tapped | 1 |
| 6 | 402076 | WELDMENT, Cylinder Mount, Right Hand | 1 |
| 7 | 301900 | PLATE, Corner Reinforcement | 2 |
| 8 | 200124 | BAR, Lifting | 2 |
| 9 | 202891 | BAR, Cylinder Ears | 4 |
| 10 | 200060 | TUBE, Intermediate | 2 |
| 11 | 301903 | WELDMENT, Inside Carrier Cylinder, Left Hand, Tapped | 1 |
| 12 | 300077 | WELDMENT, Carrier Cylinder, Left Hand | 1 |
| 13 | 204957 | TOWER, Packer Plate | 1 |
| 14 | 204966 | PIN, Carrier to Packer | 2 |
| | 103834 | WASHER | 4 |
| | 103836 | PIN, Roll, 3/8" X 4" | 4 |
| 15 | 204958 | PLATE, Side, Top | 2 |
| 16 | 300129 | EDGE, Packer Plate | 1 |
| 17 | 200166 | SHEET, Bottom | 1 |
| 18 | 303256 | SHEET, Top Center | 1 |
| 19 | 200165 | EDGE, Side | 2 |
| 20 | 303257 | SHIELD, Packer, End | 2 |
| 21 | 303258 | SHIELD, Packer, Center | 1 |
| 22 | 16170 | FITTING, Grease | 6 |
| 23 | 303187 | WELDMENT, Packer, Carrier, Hinge | 2 |
| 24 | 201114 | PLUG | 4 |
| 25 | 2R-1796 | BUSHING | 4 |
| 26 | SK-1817 | WASHER | As Req |
| 27 | 301899 | ROLLER | 4 |
| 28 | 300076 | WELDMENT, Carrier Cylinder, Right Hand | 1 |
| 29 | 301902 | WELDMENT, Inside Carrier Cylinder, Right Hand, Tapped | 1 |
| 30 | 203244 | PLATE, Tower, Packer Plate | 2 |
| 31 | 203252 | PLATE, Reinforcing, Hinge Tube | 2 |
| 32 | 300538 | WELDMENT, Tube | 1 |
| 33 | 101700 | BUSHING, Hinge | 4 |
| 34 | 202904 | PIN, Carrier Cylinder, Case End | 2 |
| | 204469 | SPACER | 2 |
| | F0945 | SCREW, Cap, 1/2" X 1 1/4" UNC | 2 |
| 35 | 202894 | PIN, Carrier Cylinder, Rod End | 2 |
| | 204469 | SPACER | 2 |
| | F0945 | SCREW, Cap, 1/2" X 1 1/4" UNC | 2 |
| 36 | 202902 | PIN, Packer Cylinder, Rod End | 2 |
| | 204469 | SPACER | 2 |
| | F0945 | SCREW, Cap, 1/2" X 1 1/4" UNC | 2 |
| 37 | 202420 | CHANNEL, Intermediate | 3 |
| 38 | 204961 | SUPPOR , Shield | 4 |
| 39 | 101700 | BUSHING, Insert, Carrier To Packer Pin | 4 |
| 40 | 2R-1799 | SPACER | 4 |
| | 403303 | CARRIER PLATE ASSEMBLY, Includes Items 22, 24-25, 33 | 1 |
| | 406892-03 | PACKER PLATE WELDMENT | 1 |
| | 403640 | BETA , Carrier Plate Assembly | |
| | 406892-04 | BETA , Packer Plate Assembly | |

SECTION 1

TAILGATE PROPS




| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--|------|
| 1 | 700367 | CHAIN, 6" | 2 |
| 2 | 700742 | WELDMENT , Prop Rest | 2 |
| 3 | 700743 | BLOCK, Support, Prop Rest (Outside) | 2 |
| 4 | 700744 | BLOCK, Support, Prop Rest (Inside) | 2 |
| 5 | 700760 | BRACKET , Support, Prop | 2 |
| 6 | 700367 | CHAIN, 6" | 2 |
| 7 | 700366 | PIN, Quick Release | 2 |
| 8 | 700735 | SPACER, Floor | 2 |
| 9 | 700741 | WELDMENT , Pivot Block, RH | 1 |
| | 700761 | WELDMENT , Pivot Block, LH | 1 |
| 10 | 700750 | STOP, Prop | 2 |
| | F0910 | SCREW , Cap, 1/2" X 1" UNC | 4 |
| | F7360 | WASHER, Flat, 1/2" | 4 |
| | F7975 | WASHER, Lock, 1/2" | 4 |
| 11 | 700739 | WELDMENT , Prop Rod | 2 |
| | 900211 | KIT, Tailgate Prop (Includes Items 1-11) | 1 |

LEACH®

SECTION 2

MUD GUARD ASSEMBLY, ALPHA/BETA Below


s/n 4272, DELTA Below s/n 5056



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--------------------------------------|------|
| 1 | 209639 | FLAP, Mud – Rubber (26" Long) | 2 |
| 2 | 209116 | KIT, Mud Flap Bracket | 2 |
| 3 | F0024 | SCREW, Cap, 1/4" x 1" UNC | 3 |
| | F2775 | NUT, Stop, 1/4" UNC | 3 |
| 4 | 305898 | PLATE, Mud Flap Upper (10 " High) | 2 |
| | 305899 | PLATE, Mud Flap Upper (13 3/4" High) | 2 |
| 5 | 210248 | FLAP, Mud – Metal (26" Long) | 2 |
| 6 | 107619 | SPACER | 16 |
| 7 | F0400 | SCREW, Cap, 3/8" X 1 3/4" UNC | 8 |
| | F7250 | WASHER, Flat, 3/8" | 8 |
| | F3075 | NUT | |
| 8 | 205381 | STRAP | 2 |

MUD GUARD ASSEMBLY, ALPHA/BETA Above


s/n 4271, Delta Above s/n 5055



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---------------------------------------|--------|
| 1 | 604843 | RAIL, Strut, 41" | 2 |
| | 604842 | RAIL, Strut, 23 1/2" | 2 |
| | 604841 | RAIL, Strut, 20" | 2 |
| | 604840 | RAIL, Strut, 17" | 2 |
| | 604839 | RAIL, Strut, 12" | 2 |
| | 2 | 605702 | T-BOLT |
| 3 | F7325 | WASHER, Flat | 2 |
| 4 | F3190 | LOCKNUT | 2 |
| 5 | F2975 | NUT, Hex, 3/8" UNC | 4 |
| 6 | F7250 | WASHER, Flat, 3/8" | 4 |
| 7 | 602709 | BRACKET, Anti-sail | 1 |
| 8 | F0375 | CAPSCREW, Hex Head, 3/8" X 1 1/2" UNC | 4 |
| 9 | P-16-419 | STRAP, Reinforcement | 1 |
| 10 | 209639 | FLAP, Rubber, Black With LEACH Logo | 2 |
| | 210154 | FLAP, Rubber, Black, Plain | 2 |
| | 209643 | GUARD, Steel | 2 |
| 11 | 604867 | BRACKET, Mounting, Mud Flap | 1 |

SECTION 2

BODY WELDMENT - 20 YARD




LEACH®

BODY WELDMENT - 20 YARD

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--------------------------------------|------|
| 1 | 400014 | APRON | 1 |
| 2 | 300011 | BRACE, Vertical, Rear | 2 |
| 3 | PO-156 | PIVOT, Lift | 2 |
| 4 | 204143 | PLATE, Reinforcement | 2 |
| 5 | 400018 | CASTING, Hinge, Right Hand | 1 |
| | 400019 | CASTING, Hinge, Left Hand | 1 |
| 6 | 300009 | BRACE, Horizontal, Rear | 1 |
| 7 | 209751 | RAIL, Tube Support | 4 |
| 8 | 208623 | BAR, For Safety Tethers | 2 |
| 9 | 211131 | PLATE, Roof Stiffener | 1 |
| 10 | 403266 | SHEET, Floor | 2 |
| 11 | 406980 | TROUGH | |
| 12 | 301554 | GUSSET, Rear Frame Tube, RH | 1 |
| | 301555 | GUSSET, Rear Frame Tube, LH | 1 |
| 13 | 400032 | BRACE, Vertical Rear, RH | 1 |
| | 400033 | BRACE, Vertical Rear, LH | 1 |
| 14 | 602259 | BRACE, Vertical, Side | 8 |
| 15 | 406768 | CHANNEL, Lower Body, RH, Alpha, Beta | 1 |
| | 406610 | CHANNEL, Lower Body, RH, Delta | 1 |
| | 406767 | CHANNEL, Lower Body, LH, Alpha, Beta | 1 |
| | 406609 | CHANNEL, Lower Body, LH, Delta | 1 |
| 16 | 300013 | GUSSET | 2 |
| 17 | 400298 | BRACE, Floor | 4 |
| 18 | 17786 | SOCKET, Pin | 2 |
| 19 | 301306 | BRACE, Horizontal, Side | 1 |
| 20 | 307020 | BRACE, Vertical, Front, RH | 1 |
| | 306996 | BRACE, Vertical, Front, LH | 1 |
| 21 | 200398 | PLATE, Lift | 2 |
| | | NOT SHOWN | 1 |
| | 601617 | WELDMENT, Side Door (Includes Hinge) | 1 |
| | 201018 | TUBE, Bolt (For Door Latch) | 1 |
| | 201019 | SPACER (For Door Latch) | 1 |
| | 17787 | PIN, Chain | |
| | 205939 | CHAIN, Ten Links | |
| | 39608 | BARREL BOLT | 1 |
| | 39609 | BARREL BOLT HANDLE | 1 |

SECTION 2


BODY ELECTRICAL



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|------------|---|-------|
| 1 | 210900 | LAMP, Clearance, Sealed | 2 |
| | 606337 | LAMP, Clearance, LED | 2 |
| 2 | 210901 | GROMMET | 2 |
| 3 | 2738-0031A | PLUG, Lamp Connection (For Standard Lamp) | 2 |
| | 109171 | PLUG, Lamp Connection (For LED Lamp) | 2 |
| 4 | 107488 | CABLE, 13 Conductor | 21 FT |
| 5 | 603008 | CAP, Electrical Access Hole | 1 |
| | 602716 | SEAL, Electrical Access Hole Cover | 1 |
| 6 | 100839 | CONDUIT, Flex 1" | 7 FT |
| 7 | 33179 | PUSH BUTTON, Speed Up | 1 |
| 8 | 1972-0009A | WIRE, White, #14 Gauge | 25 FT |
| | 1972-0126A | WIRE, Brown, #14 Gauge | 25 FT |
| | 1972-0115A | WIRE, Blue/White Stripe, #14 Gauge | 25 FT |
| | 107535 | LAMP, Mid Body Turn (Optional) (Not Shown) | 2 |
| | 107537 | GROMMET, Mid Body Turn (Not Shown) | 2 |
| | 107539 | PLUG, Lamp Connection (Mid Body Turn) (Not Shown) | 2 |

LEACH[®]


PUSHOUT CYLINDER MOUNTING



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|--|------|
| 1 | 211040 | WELDMENT, Bearing Block and Sleeve, Right Hand | 1 |
| | F1676 | SCREW, Cap, 3/4" X 1 3/4" UNC | 2 |
| | F8075 | WASHER, Lock, 3/4" | 2 |
| 2 | 211039 | WELDMENT, Bearing Block and Sleeve, Left Hand | 1 |
| | F1676 | SCREW, Cap, 3/4" X 1 3/4" UNC | 2 |
| | F8075 | WASHER, Lock, 3/4" | 2 |
| 3 | 210663 | PIN, Cylinder Pivot | 2 |
| 4 | 305971 | ASSEMBLY, Clamp, Cylinder Pivot | 2 |
| | F1676 | SCREW, Cap, 3/4" X 1 3/4" UNC | 2 |
| | F8075 | WASHER, Lock, 3/4" | 2 |
| 5 | 210630-01 | CYLINDER, Pushout, 14 yard | 1 |
| | 210630-02 | CYLINDER, Pushout, 16 yard | 1 |
| | 210630-03 | CYLINDER, Pushout, 18 yard | 1 |
| | 210630-04 | CYLINDER, Pushout, 20 yard | 1 |
| | 210630-05 | CYLINDER, Pushout, 25 yard | 1 |
| 6 | 16170 | FITTING, Grease | 2 |
| 7 | 209744 | PIN | 1 |

SECTION 3

PUSHOUT PANEL




PUSHOUT PANEL

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|-------------------------------|---------|
| 1 | 500647-01 | WELDMENT, Pushout Panel | 1 |
| 2 | 210964 | PLATE, Face Sheet Cover | 2 |
| 3 | F0960 | SCREW, Cap, 1/2" X 1 1/4" UNC | 8 |
| | F7350 | WASHER, Flat, 1/2" | 8 |
| | F3250 | NUT, 1/2" UNC | 8 |
| 4 | 210976 | SHOE, Upper | 6 |
| 5 | 108760 | WELDMENT, Shoe Retainer | 4 |
| | 108755 | SHIM, Shoe, Upper | As Req. |
| 6 | 108762 | SHOE, Lower | 2 |
| 7 | 210979 | KEEPER, Shoe, Lower | 2 |
| 8 | 211117 | KEEPER, Shoe, Upper | 2 |
| 9 | F1350 | SCREW, Cap, 5/8" X 1 1/2" UNC | 10 |
| | F7425 | WASHER, Flat, 5/8" | 10 |
| | F3500 | NUT, Nylock, 5/8" UNC | 10 |
| 10 | 16170 | FITTING, Grease | 1 |
| 11 | 108809 | PLATE, Mounting, Grease Line | 1 |
| 12 | 5407-0202 | ELBOW | 2 |
| 13 | 5402-0202 | FITTING, Swivel | 1 |
| 14 | 210949 | HOSE, Grease Line | 1 |
| 15 | 5403-0202 | COUPLING | 1 |

SECTION 4

TANK ASSEMBLY, Before Alpha/Beta s/n 4473

Delta s/n 5079



TANK ASSEMBLY, Before Alpha/Beta s/n 4473


Delta s/n 5079

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|---|---------|
| 1 | 106418 | ELEMENT, Filter, 9 Micron | 1 |
| | 107406 | ELEMENT, Filter, 3 Micron (Clean Up Filter) | 1 |
| 2 | 41751 | ASSEMBLY, Filter, Complete | 1 |
| | 17533 | O-RING, Cover | 1 |
| | 926783 | DIVERTER, Includes Bypass Valve | 1 |
| | 926616-P | VALVE, Bypass | 1 |
| | 17533 | O-RING, Diverter | 1 |
| | 41073 | GAUGE, Filter Condition | 1 |
| 3 | 204122 | GASKET | 1 |
| 4 | 302177 | ADAPTER, Filter | 1 |
| 5 | 302179 | GASKET, Adapter | 1 |
| 6 | 207909 | COVER | 1 |
| 7 | 300055 | GASKET, Cover | 1 |
| 8 | 900165 | KIT, Tank (Includes 406940 Tank) | 1 |
| 9 | 41753 | STRAINER | 1 |
| 10 | @0030 | ELBOW | 1 |
| 11 | 100319 | MAGNET, Ceramic | 1 |
| 12 | F0277 | SCREW, Cap, 3/8" X 1" UNC | 6 |
| 13 | 300133 | ANGLE, Support | 1 |
| 14 | F7875 | WASHER, Lock, 3/8" | 6 |
| 15 | F2975 | NUT, 3/8" UNC | 6 |
| 16 | TW-1116-2 | SUPPORT, Hose | 1 |
| 17 | @0132 | HOSE, Suction, 2" | Per Ft. |
| 18 | 17913 | CLAMP | 2 |
| 19 | SR-8580 | ADAPTER | 1 |
| 20 | LF-1242 | VALVE, Gate | 1 |
| 21 | @0031 | ELBOW | 1 |
| 22 | F0910 | SCREW, Cap, 1/2" X 1" UNC | 2 |
| 23 | F7975 | WASHER, Lock, 1/2" | 2 |
| 24 | 200755 | BLOCK | 2 |
| 25 | HYJ00155 | GAUGE, Sight | 1 |
| 26 | 41790 | PAD, Spacer | 1 |
| 27 | F0850 | SCREW, Cap, 1/2" X 3/4" UNC | 1 |
| 28 | 300058 | BRACKET | 1 |
| 29 | F0176 | SCREW, Cap, 5/16" X 1 1/4" UNC | 2 |
| 30 | 107815 | HOSE | 1 |
| 31 | 107788 | CONNECTOR | 1 |
| 32 | F0277 | SCREW, Cap, 3/8" X 1" UNC | 15 |
| | F7775 | WASHER, Lock, 3/8" | 15 |
| 33 | 101348 | CAP, Breather | 1 |
| | 100418 | ASSEMBLY, Breather | 1 |

SECTION 4

TANK ASSEMBLY, After Alpha/Beta s/n 4472

Delta s/n 5078



LEACH®


TANK ASSEMBLY, After Alpha/Beta s/n 4472

Delta s/n 5078

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|------------|---|---------|
| 1 | 106418 | ELEMENT, Filter, 9 Micron | 1 |
| | 107406 | ELEMENT, Filter, 3 Micron (Clean Up Filter) | 1 |
| 2 | 41751 | ASSEMBLY, Filter, Complete | 1 |
| | 17533 | O-RING, Cover | 1 |
| | 926783 | DIVERTER, Includes Bypass Valve | 1 |
| | 926616-P | VALVE, Bypass | 1 |
| | 17533 | O-RING, Diverter | 1 |
| | 41073 | GAUGE, Filter Condition | 1 |
| 3 | 204122 | GASKET | 1 |
| 4 | 302177 | ADAPTER, Filter | 1 |
| 5 | 302179 | GASKET, Adapter | 1 |
| 6 | 207909 | COVER | 1 |
| 7 | 300055 | GASKET, Cover | 1 |
| 8 | 406940 | WELDMENT, Tank | 1 |
| 9 | 41753 | STRAINER | 1 |
| 10 | @0030 | ELBOW | 1 |
| 11 | 100319 | MAGNET, Ceramic | 1 |
| 12 | F0277 | SCREW, Cap, 3/8" X 1" UNC | 6 |
| | F7875 | WASHER, Lock, 3/8" | 6 |
| | F2975 | NUT, 3/8" UNC | 6 |
| 13 | 300133 | ANGLE, Support | 1 |
| 14 | TW-1116-2 | SUPPORT, Hose | 1 |
| 15 | @0132 | HOSE, Suction, 2" | Per Ft. |
| 16 | 17913 | CLAMP | 2 |
| 17 | SR-8580 | ADAPTER | 1 |
| 18 | @0031 | ELBOW | 1 |
| 19 | 2910-0144B | VALVE, Ball | 1 |
| 20 | 605998 | COUPLER | 1 |
| 21 | 605997 | NIPPLE, Pipe | 1 |
| | 606000 | BRACKET, Support (Not Shown) | 1 |
| | 16217 | U-BOLT (Not Shown) | 1 |
| 22 | F0910 | SCREW, Cap, 1/2" X 1" UNC | 2 |
| | F7975 | WASHER, Lock, 1/2" | 2 |
| 23 | 200755 | BLOCK | 2 |
| 24 | HYJ00155 | GAUGE, Sight | 1 |
| 25 | 41790 | PAD, Spacer | 1 |
| 26 | F0850 | SCREW, Cap, 1/2" X 3/4" UNC | 1 |
| 27 | 300058 | BRACKET | 1 |
| 28 | F0176 | SCREW, Cap, 5/16" X 1 1/4" UNC | 2 |
| 29 | 107815 | HOSE | 1 |
| 30 | 107788 | CONNECTOR | 1 |
| 31 | F0277 | SCREW, Cap, 3/8" X 1" UNC | 15 |
| | F7775 | WASHER, Lock, 3/8" | 15 |
| 32 | 101348 | CAP, Breather | 1 |
| | 100418 | ASSEMBLY, Breather | 1 |

SECTION 4

TOP AND FRONT HYDRAULICS




TOP AND FRONT HYDRAULICS

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---------------------------------------|------|
| 1 | 211415 | TUBE ASSEMBLY, Return, 14 yard | 1 |
| | 211270 | TUBE ASSEMBLY, Return, 16 yard | 1 |
| | 211416 | TUBE ASSEMBLY, Return, 18 yard | 1 |
| | 210799 | TUBE ASSEMBLY, Return, 20 yard | 1 |
| | 211292 | TUBE ASSEMBLY, Return, 25 yard | 1 |
| 2 | 211413 | TUBE ASSEMBLY, Tailgate Lift, 14 yard | 1 |
| | 211271 | TUBE ASSEMBLY, Tailgate Lift, 16 yard | 1 |
| | 211414 | TUBE ASSEMBLY, Tailgate Lift, 18 yard | 1 |
| | 210800 | TUBE ASSEMBLY, Tailgate Lift, 20 yard | 1 |
| | 211293 | TUBE ASSEMBLY, Tailgate Lift, 25 yard | 1 |
| 3 | 211411 | TUBE ASSEMBLY, Supply, 14 yard | 1 |
| | 211272 | TUBE ASSEMBLY, Supply, 16 yard | 1 |
| | 211412 | TUBE ASSEMBLY, Supply, 18 yard | 1 |
| | 210801 | TUBE ASSEMBLY, Supply, 20 yard | 1 |
| | 211294 | TUBE ASSEMBLY, Supply, 25 yard | 1 |
| 4 | 16123 | UNION, Male | 1 |
| 5 | 16215 | UNION, Male | 1 |
| 6 | 32471 | UNION, Male | 1 |
| 7 | 100364 | TUBE SUPPORT, 1 1/4" | 3 |
| 8 | 100363 | TUBE SUPPORT, 3/4" | 3 |
| 9 | 102624 | TUBE SUPPORT, 1" | 3 |
| 10 | 210802 | TUBE ASSEMBLY, Return Front | 1 |
| 11 | 210814 | TUBE ASSEMBLY, Tailgate Lift | 1 |
| 12 | 406690 | TUBE ASSEMBLY, Front Supply | 1 |
| 13 | 16224 | FITTING, Union Tee | 1 |
| 14 | 100272 | FITTING, Reducer | 2 |
| 15 | 210815 | TUBE ASSEMBLY, Return From Valve | 1 |
| 16 | 107815 | HOSE | 1 |
| 17 | 16222 | ELBOW | 1 |

SECTION 4


PUSHOUT CYLINDER HYDRAULICS



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|----------------------------------|------|
| 1 | 210889 | HOSE, Pushout Cylinder | 2 |
| 2 | 406728 | ASSEMBLY, Tube, Pushout Extend | 1 |
| | 100363 | SUPPORT, Tube (Not Shown) | 1 |
| 3 | 406727 | ASSEMBLY, Tube, Pushout Retract | 1 |
| 4 | 17652 | FITTING, 90 Degree (Extend Port) | 1 |
| 5 | 100284 | CONNECTOR (Retract Port) | 1 |
| | 100363 | SUPPORT, Tube (Not Shown) | 1 |

LEACH®


TUBE SUPPORTS



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|--|------|
| 1 | 107630-06 | PLATE, Cover (For 3/4" Tube Support) | AR |
| | 107630-06 | PLATE, Cover (For 1" Tube Support) | AR |
| | 107630-07 | PLATE, Cover (For 1 1/4" Tube Support) | AR |
| 2 | 209656-09 | CUSHION, 3/4" (Set of Two) | AR |
| | 209656-10 | CUSHION, 1" (Set of Two) | AR |
| | 209656-11 | CUSHION, 1 1/4" (Set of Two) | AR |
| 3 | 100365 | NUT, Rail | AR |
| 4 | NSS | BASE, Weld Style | AR |
| 5 | 209751 | RAIL, Tube Support, 10 3/4" Long | AR |
| 6 | F0500 | SCREW, Cap, 3/8" X 2 1/4" UNC (For 3/4" and 1" Supports) | AR |
| | F0555 | SCREW, Cap, 3/8" X 2 3/4" UNC (For 1 1/4" Support) | AR |
| | 100363 | SUPPORT, Tube, 3/4", Rail Style (Includes Items 1,2,3,6) | AR |
| | 102624 | SUPPORT, Tube, 1", Rail Style (Includes Items 1,2,3,6) | AR |
| | 100364 | SUPPORT, Tube, 1 1/4", Rail Style (Includes Items 1,2,3,6) | AR |
| | 100361 | SUPPORT, Tube, 3/4", Weld Style (Includes Items 1,2,4,6) | AR |
| | 100875 | SUPPORT, Tube, 1", Weld Style (Includes Items 1,2,4,6) | AR |
| | 100345 | SUPPORT, Tube, 1 1/4", Weld Style (Includes Items 1,2,4,6) | AR |

SECTION 4

MAIN CONTROL VALVE (MCV) SUPPLY AND RETURN




MAIN CONTROL VALVE SUPPLY AND RETURN

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|--|------|
| 1 | 211279 | HOSE, Supply | 1 |
| 2 | 601792 | HOSE, Return | 1 |
| 3 | 601787 | TUBE, Return | 1 |
| 4 | 16115 | FITTING, Alpha, Beta | 1 |
| | 16117 | FITTING, Delta, Before s/n 5052 | 1 |
| | 16115 | FITTING, Delta, After s/n 5051 | 1 |
| 5 | 16226 | ELBOW, 90 Degree | 1 |
| | 109083 | ADAPTER, Delta, Before s/n 5052 | 1 |
| 6 | 302635 | HOSE CLAMP, Alpha, Beta Before s/n 4582 Delta Before s/n 5085 | 1 |
| 7 | F0024 | CAPSCREW, 1/4" X 1" UNC | 1 |
| | F7075 | WASHER, Flat 1/4" | 2 |
| | F2275 | NUT, Hex, 1/4" UNC | 1 |
| 8 | 16208 | U-BOLT | 1 |
| 9 | F0980 | CAPSCREW, 1/2" X 1 1/2" UNC | 2 |
| | F7350 | WASHER, Flat, 1/2" | 2 |
| | F3325 | NUT, Hex, 1/2" UNC | 2 |
| 10 | 601904 | BRACKET, Tube Support, Alpha, Beta Before s/n 4582 Delta Before s/n 5085 | 2 |
| 11 | 18276 | U-BOLT | 1 |
| 12 | 605896 | BRACKET, Tube Support, Alpha, Beta After s/n 4581 Delta After s/n 5084 | 1 |
| 13 | F0062 | CAPSCREW, 1/4" X 3 3/4" UNC | 2 |
| | F2775 | NUT, Elastic Stop, 1/4" UNC | 2 |
| | F7075 | WASHER, Flat 1/4" | 2 |
| 14 | 209656-07 | CUSHION, 1 3/4" | 1 |
| | 107630-04 | PLATE, Cover | 1 |
| | 900153 | KIT, Tube Support, Alpha, Beta Before s/n 4582 Delta Before s/n 5085, Includes (Items, 8, 9, 11, 12, 13, 14) | 1 |
| | 601902 | KIT, Hydraulic Return Line, Alpha, Beta Before s/n 4046 Delta Before s/n 5052, (Includes Items 1, 2, 3, 8, 9, 11, 12, 13, 14) | 1 |

SECTION 4


PACKER CYLINDER HYDRAULICS-ALPHA/BETA



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|------------|--|------|
| 1 | 307054 | TUBE | 1 |
| | 18276 | U-BOLT (Not Shown) | 1 |
| | 210920 | BRACKET, Tube Support (Not Shown) | 1 |
| 2 | 18008 | FITTING, 90 Degree, O-ring, Alpha | 2 |
| | 16220 | FITTING, 90 Degree, O-ring, Beta | 2 |
| 3 | 307056 | TUBE, Packer Cylinder Case End, Left Hand | 1 |
| 4 | 16119 | FITTING, 90 Degree, O-ring, Alpha | 2 |
| | 16226 | FITTING, 90 Degree, O-ring, Beta | 2 |
| 5 | 210658 | CYLINDER, Packer, Alpha | 2 |
| | 406578 | CYLINDER, Packer, Beta | 2 |
| 6 | 210874 | HOSE, Packer Cylinder Extend | 1 |
| 7 | 16224 | FITTING, Union Tee | 1 |
| 8 | 210873 | HOSE, Packer Cylinder Retract | 1 |
| 9 | 307055 | TUBE, Packer Cylinder Case End, Right Hand | 1 |
| 10 | 307087 | TUBE REST | 2 |
| 11 | 2127-0064A | CLAMP | 2 |
| 12 | 210796 | TUBE, Packer Cylinder Rod End, Right Hand | 1 |
| 13 | 33447 | FITTING, Union Tee | 1 |
| 14 | 210797 | TUBE, Packer Cylinder Rod End, Left Hand | 1 |
| 15 | 307053 | TUBE | 1 |
| | 2899-0001A | U-BOLT (Not Shown) | 1 |
| | 210920 | BRACKET, Tube Support (Not Shown) | 1 |
| 16 | 18008 | ELBOW | 1 |
| 17 | 16226 | ELBOW | 1 |

LEACH®


PACKER CYLINDER HYDRAULICS-DELTA



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|------------|--|------|
| 1 | 307465 | TUBE | 1 |
| | 2899-0001A | U-BOLT (Not Shown) | 1 |
| | 210920 | BRACKET, Tube Support (Not Shown) | 1 |
| 2 | 18008 | FITTING, 90 Degree, O-ring | 2 |
| 3 | 307061 | TUBE, Packer Cylinder Case End, Left Hand | 1 |
| 4 | 18008 | FITTING, 90 Degree, O-ring | 2 |
| 5 | 601366 | CYLINDER, Packer | 2 |
| 6 | 211180 | HOSE, Packer Cylinder Extend | 1 |
| 7 | 33447 | FITTING, Union Tee | 1 |
| 8 | 210873 | HOSE, Packer Cylinder Retract | 1 |
| 9 | 307060 | TUBE, Packer Cylinder Case End, Right Hand | 1 |
| 10 | 307087 | TUBE REST | 2 |
| 11 | 2127-0064A | CLAMP | 2 |
| 12 | 210796 | TUBE, Packer Cylinder Rod End, Right Hand | 1 |
| 13 | 33447 | FITTING, Union Tee | 1 |
| 14 | 210797 | TUBE, Packer Cylinder Rod End, Left Hand | 1 |
| 15 | 307053 | TUBE | 1 |
| | 2899-0001A | U-BOLT (Not Shown) | 1 |
| | 210920 | BRACKET, Tube Support (Not Shown) | 1 |
| 16 | 18008 | ELBOW | 1 |
| 17 | 16226 | ELBOW | 1 |

SECTION 4

CARRIER CYLINDER HYDRAULICS - ALPHA/BETA




| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|------------|--|------|
| 1 | 210872 | HOSE, Carrier Cylinder, Retract | 1 |
| 2 | 210790 | TUBE, Carrier Cylinder, Rod End, Left Hand | 1 |
| 3 | 307051 | TUBE, Carrier Cylinder, Case End, Left Hand | 1 |
| 4 | 16119 | FITTING, 90; O-Ring | 2 |
| 5 | 210659 | CYLINDER, Carrier | 2 |
| 6 | 16115 | FITTING | 2 |
| 7 | 33447 | FITTING, Union Tee | 1 |
| 8 | 211186 | TUBE, Carrier Cylinder, Rod End, Right Hand | 1 |
| 9 | 210871 | HOSE, Carrier Cylinder, Extend | 1 |
| 10 | 16224 | FITTING, Union Tee | 1 |
| 11 | 307052 | TUBE, Carrier Cylinder, Case End, Right Hand | 1 |
| 12 | 307087 | TUBE REST | 2 |
| 13 | 2127-0021A | CLAMP, Hose | 2 |
| 14 | 16227 | FITTING | |
| 15 | 16115 | FITTING | |

LEACH®


CARRIER CYLINDER HYDRAULICS - ALPHA/BETA

WITH REGEN CIRCUIT




| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--------------------------|------|
| 1 | 603305 | HOSE, Assembly | 2 |
| 2 | 106415 | TIE RAP | 2 |
| 3 | 605282 | HOSE, Assembly | 1 |
| 4 | 18008 | FITTING, 90 Degree Elbow | 1 |
| 5 | 16226 | FITTING, 90 Degree Elbow | 1 |
| 6 | 16115 | CONNECTOR, O-Ring | 4 |
| 7 | 605283 | HOSE, Assembly | 1 |
| 8 | 605297 | HOSE, Assembly | 2 |
| 9 | 16227 | FITTING, Straight | 2 |
| 10 | 204100 | VALVE, Regenerative | 1 |
| 11 | 210659 | CYLINDER, Carrier | 2 |
| 12 | 16115 | FITTING | 2 |
| 13 | 16227 | FITTING | 2 |

CARRIER CYLINDER HYDRAULICS – DELTA



| REF. NO | PART NO. | DESCRIPTION | QTY. |
|---------|------------|--|------|
| 1 | 210872 | HOSE, Carrier Cylinder, Retract | 1 |
| 2 | 210790 | TUBE, Carrier Cylinder, Rod End, Left Hand | 1 |
| 3 | 307498 | TUBE, Carrier Cylinder, Case End, Left Hand | 1 |
| 4 | 18008 | FITTING, 90° O-Ring | 2 |
| 5 | 210628 | CYLINDER, Carrier | 2 |
| 6 | 16115 | FITTING | 2 |
| 7 | 33447 | FITTING, Union Tee | 2 |
| 8 | 211337 | TUBE, Carrier Cylinder, Rod End, Right Hand | 1 |
| 9 | 211179 | HOSE, Carrier Cylinder, Extend | 1 |
| 10 | 307499 | TUBE, Carrier Cylinder, Case End, Right Hand | 1 |
| 11 | 307087 | TUBE REST | 2 |
| 12 | 2127-0064A | CLAMP, Hose | 2 |
| 13 | 16117 | FITTING | 2 |


SPIN - ON FILTER (OPTIONAL)



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--|------|
| 1 | 203474 | WELDMENT, Base Adapter Plate | 1 |
| 2 | 1358 | ELBOW | 2 |
| 3 | 211421 | ASSEMBLY, Tube | 1 |
| 4 | @0090 | BUSHING, Reducer | 3 |
| 5 | 16122 | CONNECTOR | 1 |
| 6 | 307554 | BRACKET, Filter Mounting | 1 |
| 7 | 107815 | HOSE | 1 |
| 8 | 17665 | TEE | 1 |
| 9 | 106501 | BALL VALVE | 1 |
| 10 | 16222 | ELBOW | 1 |
| 11 | 202274 | ASSEMBLY, Filter, Spin-On (Includes Element) | 1 |
| | 101730 | ELEMENT, Filter | 1 |

SECTION 4


TAILGATE LIFT HYDRAULICS



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--|------|
| 1 | 601815 | HOSE ASSEMBLY | 1 |
| 2 | 601816 | TUBE ASSEMBLY | 1 |
| 3 | 18268 | TEE | 1 |
| 4 | 210783 | TUBE ASSEMBLY | 1 |
| 5 | 210784 | TUBE ASSEMBLY | 1 |
| 6 | 100137 | ELBOW | 2 |
| | 41876 | WASHER | 2 |
| 7 | 210876 | HOSE ASSEMBLY | 2 |
| 8 | 108777 | ELBOW | 2 |
| 9 | 701845 | RESTRICTOR PIN (Alpha/Beta After s/n 4752 Delta After s/n 5093) | 2 |
| 10 | 210629 | CYLINDER ASSEMBLY (Alpha/Beta Before s/n 4753, Delta Before s/n 5094) | 2 |
| | 701479 | CYLINDER ASSEMBLY (Alpha/Beta After s/n 4752, Delta After s/n 5093) | 2 |

LEACH®


FRONT CONTROL VALVE (FCV) INSTALLATION



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|-------------------------------|------|
| 1 | 16117 | FITTING, FCV (Inlet) (Outlet) | 2 |
| 2 | 940007 | FITTING, FCV Power Beyond | 1 |
| 3 | 38702 | ELBOW, Tube End | 1 |
| 4 | 16220 | ELBOW | 1 |
| 5 | 210859 | HOSE, Pilot | 1 |
| 6 | 104458 | REDUCER, Tube End | 1 |
| 7 | SR-7726-1 | TUBE NUT | 1 |
| 8 | 16112 | ADAPTER | 1 |
| 9 | 108792 | FITTING, Tee | 1 |
| 10 | 5644-1212 | ADAPTER, Straight O-Ring | 1 |
| 11 | 5633-1212 | FITTING, Tee | 1 |
| 12 | 16214 | FITTING | 1 |
| 13 | 30131 | REDUCER | 1 |
| 14 | 102126 | NIPPLE, Pipe-male | 2 |
| 15 | 100369 | TEST NIPPLE | 2 |
| 16 | 102823 | DUST CAP | 2 |

SECTION 5

FRONT CONTROL VALVE




| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|---|------|
| 1 | 108295 | KIT, Handle | 2 |
| 2 | 940042 | PLUG, Load Check | 1 |
| 3 | 940011 | KIT, Stud | 1 |
| 4 | 940014 | SECTION, Pushout | 1 |
| 5 | 950006 | KIT, Spool Seal | 2 |
| 6 | 601104 | RELIEF, Two Stage, Work Port (Can use 109044) | 1 |
| 7 | 940044 | SPRING | 2 |
| 8 | 940053 | COLLAR, Spring | 2 |
| 9 | 940047 | SCREW | 4 |
| 10 | 940043 | BONNET | 2 |
| 11 | 601103 | CARTRIDGE, Main Relief | 1 |
| 12 | 940012 | SECTION, Tailgate | 1 |
| 13 | 940045 | PLUG | 1 |
| | 406750-01 | ASSEMBLY, Valve, Front Control, Alpha | |
| | 601326 | ASSEMBLY, Valve, Front Control, Beta | |
| | 406751-01 | ASSEMBLY, Valve, Front Control, Delta | |

LEACH®

VALVE - TIPPER DIVERTER 101204

(BEFORE ALPHA/BETA S/N 4226, DELTA S/N 5052)





| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|------------|--|------|
| 1 | 103325 | PLUG, O-Ring | 2 |
| 2 | 102630 | SPRING | 2 |
| 3 | N/A | BODY, Valve | 1 |
| 4 | 102629 | PLUG, Relief | 1 |
| 5 | 103327 | PLUG, O-Ring | 2 |
| 6 | 102646 | CARTRIDGE, Flow Reg. 1.4 GPM | 2 |
| | 102647 | CARTRIDGE, Flow Reg. 2.5 GPM | 2 |
| | 102648 | CARTRIDGE, Flow Reg. 3.5 GPM | 2 |
| 7 | 9729-0006A | PLUG, O-Ring (Replaces One Cartridge On Single Tipper) | 1 |
| 8 | 601333 | VALVE, Differential Pressure | 1 |
| 9 | 103326 | PLUG, O-Ring | 1 |
| 10 | 102631 | BALL | 2 |
| | 101204 | VALVE, Tipper Control, (Less Items 6 & 7) | 1 |
| | 210931 | BRACKET, Tipper Valve | 1 |

SECTION 5

VALVE - TIPPER DIVERTER


AFTER ALPHA/BETA S/N 4225, DELTA 5051



VALVE COMPONENTS NOT SOLD SEPARATE

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--------------------------|------|
| 1 | 603362 | VALVE, Diverter , Dual | 1 |
| 2 | 603360 | VALVE, Diverter , Single | 1 |


VALVE - REGEN, 204100



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|----------------------------------|------|
| 1 | 103608 | PLUG, SAE # 20 | 1 |
| 2 | 103451 | VALVE, Check | 1 |
| 3 | 100975 | PLUG, SAE # 8 | 1 |
| 4 | NSS | BODY | 1 |
| 5 | 103448 | ORIFICE PLUG | 1 |
| 6 | 100975 | PLUG, SAE # 8 | 1 |
| 7 | 103454 | VALVE, Check | 1 |
| 8 | 103452 | CARTRIDGE, Pressure Differential | 1 |
| | 204100 | VALVE, Assembly, Regen | 1 |

SECTION 5


MAIN CONTROL VALVE (MCV) - ALPHA/BETA



MAIN CONTROL VALVE (MCV) - ALPHA/BETA

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|---|------|
| 1 | 601619 | COVER, Inlet (Before s/n Alpha 4174, Beta 4190) | 1 |
| | 605266 | COVER, Inlet (After s/n Alpha 4173, Beta 4189) | 1 |
| 2 | 17664 | PLUG, SAE 20 | AR |
| 3 | 601714 | KIT, Tie Rod, 2 Sections | 1 |
| | 940092 | KIT, Tie Rod, 3 Sections | 1 |
| | 601725 | KIT, Tie Rod, 4 Sections | 1 |
| 4 | 16115 | FITTING, Inlet | 1 |
| | 5644-1616 | ADAPTER, With Tipper Valve (Not shown) | 1 |
| 5 | 940047 | SCREW (Accessory Section) | 4 |
| 6 | 940035 | BONNET (Accessory Section) | 1 |
| | 601620 | KIT, Spool Positioner (Accessory Section) | 1 |
| 7 | 601625 | KIT, Spool Seal (Packer and Carrier Section) | AR |
| | 601621 | KIT, Spool Seal (Accessory Section) | AR |
| 8 | 601643 | VALVE SECTION, Accessory | AR |
| | 601627 | KIT, Seal (Accessory Section) | AR |
| 9 | 601645 | VALVE SECTION, Packer | 1 |
| | 601626 | KIT, Seal (Packer Section) | 1 |
| | 601591 | KIT, Spool (Includes KO Positioner and Seals) | 1 |
| 10 | 605247 | CARTRIDGE, Relief 3500 PSI | 1 |
| | 940065 | KIT, Seal, Relief Cartridge | 1 |
| | 940064 | PLUG, Non Relief | AR |
| 11 | 601736 | KIT, Seal, Between Sections | AR |
| 12 | 601642 | VALVE SECTION, Carrier | 1 |
| | 601626 | KIT, Seal (Carrier Section) | 1 |
| | 601591-01 | KIT, Spool (Includes KO Positioner and Seals) | 1 |
| 13 | 940040 | PLUG, Load Check | AR |
| 14 | 940090 | SCREW | 4 |
| 15 | 106491 | CAP, KO Positioner Adjustment Access | 2 |
| 16 | 601623 | KNOCKOUT POSITIONER | 2 |
| | 601624 | KIT, Seal, Knockout Positioner | 2 |
| 17 | 102997 | KIT, Detent Spring (Includes Steel Balls) | 1 |
| 18 | 601622 | BOOT, Dust | AR |
| 19 | 940070 | COVER, Outlet (Before s/n 4174) | 1 |
| | 605265 | COVER, Outlet (After s/n 4173) | 1 |
| 20 | 16226 | ELBOW | 1 |
| | 601327-04 | VALVE, Complete, 2 Section, Alpha Before s/n 4174 | 1 |
| | 601327-30 | VALVE, Complete, 2 Section, Alpha After s/n 4173 | 1 |
| | 601327-05 | VALVE, Complete, 3 Section, Alpha Before s/n 4174 | 1 |
| | 601327-31 | VALVE, Complete, 3 Section, Alpha After s/n 4173 | 1 |
| | 601327-06 | VALVE, Complete, 4 Section, Alpha Before s/n 4174 | 1 |
| | 601327-32 | VALVE, Complete, 4 Section, Alpha After s/n 4173 | 1 |
| | 601327-01 | VALVE, Complete, 2 Section, Beta Before s/n 4190 | 1 |
| | 601327-33 | VALVE, Complete, 2 Section, Beta After s/n 4189 | 1 |
| | 601327-02 | VALVE, Complete, 3 Section, Beta Before s/n 4190 | 1 |
| | 601327-34 | VALVE, Complete, 3 Section, Beta After s/n 4189 | 1 |
| | 601327-03 | VALVE, Complete, 4 Section, Beta Before s/n 4190 | 1 |
| | 601327-35 | VALVE, Complete, 4 Section, Beta After s/n 4189 | 1 |

MAIN CONTROL VALVE (MCV) – DELTA Before S/N 5053




| REF. NO | PART NO. | DESCRIPTION | QTY. |
|---------|-----------|--|------|
| 1 | 601667 | COVER, Inlet | 1 |
| 2 | 601086 | VALVE SECTION, Accessory | 1 |
| 3 | 601087 | VALVE SECTION, Packer | 1 |
| 4 | 601088 | VALVE SECTION, Carrier | 1 |
| 5 | 601089 | COVER, Outlet | 1 |
| 6 | 601090 | SEAL KIT, Complete (Accessory Section) | 1 |
| | 601091 | SEAL KIT, Complete (Packer or Carrier Section) | 1 |
| 7 | 601092 | LOAD CHECK, Accessory | 1 |
| 8 | 601093 | LOAD CHECK, Packer or Carrier | 1 |
| 9 | 601094 | RELIEF, Packer, 3500 PSI | 1 |
| 10 | 601095 | POSITIONER, Accessory | 1 |
| 11 | 601096 | BONNET, Accessory | 1 |
| 12 | 601097 | KNOCKOUT POSITIONER, Packer | 1 |
| 13 | 601098 | KNOCKOUT POSITIONER, Carrier | 1 |
| 14 | 601099 | BONNET, Packer or Carrier | 1 |
| 15 | 601100 | SEAL KIT (Between Section or Cover) | 5 |
| 16 | 601101 | STUD KIT | 1 |
| 17 | 601102 | BOOT KIT (Not Shown) | 1 |
| 18 | 601672 | SEAL KIT (Knockout Positioner) (Not Shown) | |
| | 406752-01 | VALVE, MCV, 2 Sections (Packer and Carrier) | 1 |
| | 406752-02 | VALVE, MCV, 3 Sections (Packer, Carrier and 1 Accessory) | 1 |
| | 406752-03 | VALVE, MCV, 4 Sections (Packer, Carrier and 2 Accessories) | 1 |

SECTION 5

MAIN CONTROL VALVE (MCV) - DELTA After

s/n 5052




MAIN CONTROL VALVE (MCV) - DELTA After

s/n 5052

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|---|------|
| 1 | 605266 | COVER, Inlet | 1 |
| 2 | 17664 | PLUG, SAE 20 | AR |
| 3 | 601714 | KIT, Tie Rod, 2 Sections | 1 |
| | 940092 | KIT, Tie Rod, 3 Sections | 1 |
| | 601725 | KIT, Tie Rod, 4 Sections | 1 |
| 4 | 16115 | FITTING, Inlet | 1 |
| | 5644-1616 | ADAPTER, With Tipper Valve (Not shown) | 1 |
| 5 | 940047 | SCREW (Accessory Section) | 4 |
| 6 | 940035 | BONNET (Accessory Section) | 1 |
| | 601620 | KIT, Spool Positioner (Accessory Section) | 1 |
| 7 | 601625 | KIT, Spool Seal (Packer and Carrier Section) | AR |
| | 601621 | KIT, Spool Seal (Accessory Section) | AR |
| 8 | 601643 | VALVE SECTION, Accessory | AR |
| | 601627 | KIT, Seal (Accessory Section) | AR |
| 9 | 601645 | VALVE SECTION, Packer | 1 |
| | 601626 | KIT, Seal (Packer Section) | 1 |
| | 601591 | KIT, Spool (Includes KO Positioner and Seals) | 1 |
| 10 | 605247 | CARTRIDGE, Relief 3500 PSI | 1 |
| | 940065 | KIT, Seal, Relief Cartridge | 1 |
| | 940064 | PLUG, Non Relief | AR |
| 11 | 601736 | KIT, Seal, Between Sections | AR |
| 12 | 601642 | VALVE SECTION, Carrier | 1 |
| | 601626 | KIT, Seal (Carrier Section) | 1 |
| | 601591 | KIT, Spool (Includes KO Positioner and Seals) | 1 |
| 13 | 940040 | PLUG, Load Check | AR |
| 14 | 940090 | SCREW | 4 |
| 15 | 106491 | CAP, KO Positioner Adjustment Access | 2 |
| 16 | 601623 | KNOCKOUT POSITIONER | 2 |
| | 601624 | KIT, Seal, Knockout Positioner | 2 |
| 17 | 102997 | KIT, Detent Spring (Includes Steel Balls) | 1 |
| 18 | 601622 | BOOT, Dust | AR |
| 19 | 605265 | COVER, Outlet (After s/n Alpha 4173, Beta 4189) | 1 |
| 20 | 16226 | ELBOW | 1 |
| | 601327-30 | VALVE, Complete, 2 Section | 1 |
| | 601327-31 | VALVE, Complete, 3 Section | 1 |
| | 601327-32 | VALVE, Complete, 4 Section | 1 |

SECTION 6


LEACH PUMP, 307451-01



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|--|------|
| 1 | N/A | HOUSING, Rear | 1 |
| 2 | 108988 | BALANCE, Pressure | 2 |
| 3 | 108986 | PLATE, Pressure | 1 |
| 4 | 108984 | GEAR | 2 |
| 5 | 103096 | KEY | 2 |
| 6 | 108987 | PLATE, Pressure | 1 |
| 7 | 108989 | DOWEL | 2 |
| 8 | 108993 | O-RING | 1 |
| 9 | 108983 | HOUSING, Front | 1 |
| 10 | 108992 | CAPSCREW | 8 |
| 11 | 108991 | WASHER | 8 |
| 12 | 108990 | SEAL | 4 |
| 13 | 108996 | RING, Snap | 2 |
| 14 | 108995 | BALL, Steel | 1 |
| | 307451-01 | ASSEMBLY, Pump | 1 |
| | 900033 | KIT, Repair (Includes Items 2, 8, 12 and 13) | 1 |

LEACH®


LEACH FRONT MOUNTED PUMP, 204071



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|-------------------------------|------|
| 1 | N/A | BODY, Not Sold Separately | 1 |
| 2 | 103090 | DOWEL | 2 |
| 3 | 104237 | RING, Retainer | 2 |
| 4 | 104238 | O-RING | 2 |
| 5 | 104239 | RING, Backup | 2 |
| 6 | 104240 | PLATE, Isolation | 1 |
| 7 | 104241 | PLATE, Pressure | 2 |
| 8 | 104242 | GEAR, Drive | 1 |
| 9 | 104243 | GEAR, Idler | 1 |
| 10 | 104244 | KEY | 1 |
| 11 | 104245 | PLATE, Isolation, Top | 1 |
| 12 | 103099 | FLANGE, Seal | 1 |
| 13 | 104246 | FLANGE | 1 |
| 14 | 103102 | SEAL | 1 |
| 15 | 103103 | RING, Snap | 1 |
| 16 | 103104 | SEAL, Outer | 1 |
| 17 | 104247 | SCREW, Cap | 2 |
| | 104248 | WASHER, Lock | 8 |
| 18 | 104249 | SCREW, Cap | 6 |
| 19 | 104250 | PLUG | 1 |
| | 204071 | PUMP, Front Mounted, Complete | 1 |

SECTION 6


FRONT PUMP (MUNCIE)



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---|------|
| 1 | 38150 | WELDMENT, Pump Support (Mack MR) | 1 |
| 2 | 103075 | PUMP, Muncie, Counter-Clockwise | 1 |
| 3 | 39996 | MUFFLER | 1 |
| 4 | 103076 | CYLINDER, Air | 1 |
| 5 | 103077 | VALVE, Dry | 1 |
| 6 | 41058 | KIT, Dry Valve (Includes Items 5-6) | 1 |
| 7 | 39614 | O-RING | 1 |
| 8 | 37193 | ADAPTER, 2" | 1 |
| 9 | @0031 | ELBOW, 2" | 1 |
| 10 | F1035 | SCREW, Cap. 1/2" X 2" UNC | 4 |
| | F8000 | WASHER, Lock, 1/2" | 4 |
| 11 | 103078 | VALVE, Flow Regulator | 1 |
| 12 | 16927 | O-RING | 1 |
| 13 | 37192 | ADAPTER, 1 1/4" | 1 |
| 14 | F5975 | SCREW, Cap, Socket Head, 7/16" X 4" UNC | 4 |
| 15 | 15697 | CONNECTOR | 1 |
| 16 | 17407 | FITTING, Swivel | 1 |
| 17 | P-20-257 | HOSE | 1 |
| 18 | 301867 | WELDMENT, Pump Guard | 1 |
| 19 | 202836 | COVER, Pump Guard | 1 |
| | 104588 | ASSEMBLY, Pump (Includes Items 2-7) | 1 |

LEACH®


PUMP, DRY VALVE, TYPICAL



PUMP, DRY VALVE, TYPICAL

| REF. NO | PART NO. | DESCRIPTION | QTY. |
|---------|----------|--|---------|
| 1 | 100004 | FLANGE Yoke, 2 $\frac{3}{4}$ " Pilot, $\frac{7}{16}$ " Capscrews | 1 |
| | 100003 | FLANGE Yoke, 2 $\frac{3}{8}$ " Pilot, $\frac{3}{8}$ " Capscrews | 1 |
| 2 | 36717 | SHAFT, Drive | As Req. |
| 3 | 100002 | END, Yoke | 1 |
| | 300108 | ASSEMBLY, Drive Shaft ($\frac{3}{8}$ " Bolts) | 1 |
| | 300109 | ASSEMBLY, Drive Shaft ($\frac{7}{16}$ " Bolts) | 1 |
| 4 | @0139 | KEY, $\frac{5}{16}$ " | 1 |
| 5 | F4725 | SCREW, Set, Socket Head, $\frac{3}{8}$ " x $\frac{3}{8}$ " UNC | 1 |
| 6 | 100210 | JOURNAL and Bearing Kit | 2 |
| | F7975 | WASHER, Lock, $\frac{1}{2}$ " | 4 |
| 7 | 18400 | BRACKET, Pump Mounting, Typical | As Req. |
| 8 | 1356 | ELBOW | 1 |
| 9 | 100046 | ELBOW, Tubing Connector | 1 |
| 10 | F1250 | SCREW, Cap, $\frac{1}{2}$ " x 4" UNC | 4 |
| 11 | 39996 | MUFFLER | 1 |
| 12 | 25952 | CYLINDER, Dry Valve, Air | 1 |
| 13 | 35753 | VALVE, Dry (Includes Item 12) | 1 |
| 14 | 39614 | O-RING, Dry Valve Flange | 2 |
| 15 | 101240 | KIT, Flange | 1 |
| 16 | 101242 | ELBOW, Flange | 1 |
| 17 | 16249 | CLAMP, Hose | 1 |
| 18 | @0132 | HOSE, 2" Suction | As Req. |
| 19 | 105631 | VALVE, Air Solenoid (N.O.) | 1 |
| 20 | 102400 | PUMP, Commercial, Counter-Clockwise | 1 |
| 21 | 40666 | PUMP, Commercial, Counter-Clockwise | 1 |
| 22 | 204071 | PUMP, Leach, Counter-Clockwise, Rotation | 1 |
| 23 | 16927 | O-RING, Pump To Flow Regulator | 2 |
| 24 | 31291 | ELBOW | 1 |
| 25 | N/A | O-RING, Elbow, (Included With Item 24) | |
| 26 | F5975 | SCREW, Cap, Socket Head, $\frac{7}{16}$ " x 4" UNC | 4 |
| 27 | 38148 | VALVE, Flow, Regulator | 1 |
| 28 | 35755 | HOSE, Dry Valve | 1 |
| | 41058 | KIT, Dry Valve Assembly, (Includes Items 8, 10, 13 & 24-28) | |
| 29 | P-20-257 | HOSE | 1 |
| 30 | 17407 | FITTING, Swivel | 1 |
| 31 | 37108 | PUMP, Tyrone (optional) | 1 |
| | 37061 | PUMP, Tyrone, (includes Dry Valve Kit 41058) | 1 |
| 32 | 37192 | ADAPTER, 1 $\frac{1}{4}$ " | 1 |
| 33 | 102568 | TEE Street, If Winch Installed | 1 |
| 34 | @0208 | PLUG, Pipe Square Head, $\frac{1}{2}$ " (If Winch Installed) | 1 |
| 35 | @0183 | ADAPTER, $\frac{3}{8}$ " To $\frac{1}{2}$ " (If Winch Installed) | 1 |
| 36 | 41921 | NIPPLE, Close $\frac{3}{8}$ " (If Winch Installed) | 1 |
| 37 | 100211 | VALVE, Flow Control (If Winch Installed) | 1 |
| 38 | 103563 | CONNECTOR (If Winch Installed) | 2 |
| 39 | 103564 | HOSE, Assembly (If Winch Installed) | 1 |
| 40 | 204565 | ELBOW 90° Tapped | 1 |
| 41 | 100369 | NIPPLE, Test | |
| 42 | 102126 | NIPPLE | |
| 43 | 37193 | ADAPTER, 2" | 1 |
| 44 | F1035 | SCREW, Cap, $\frac{1}{2}$ " x 2" UNC | 4 |
| | F8000 | WASHER, Lock, Hi-Collar $\frac{1}{2}$ " | 8 |
| 45 | @0031 | ELBOW, Street 2" Pipe | 1 |
| 46 | SR-8580 | ADAPTER | 1 |
| 47 | 106569 | SNAP, Ring | 1 |
| 48 | 106570 | SPRING | 1 |
| 49 | 15697 | CONNECTOR | 1 |
| 50 | F4725 | SCREW, Set, Socket Head, $\frac{3}{8}$ " x $\frac{3}{8}$ " UNC | 4 |
| | F1035 | SCREW, Cap, $\frac{1}{2}$ " x 2" UNC | 4 |
| 51 | 301867 | WELDMENT, Pump Guard | 1 |
| 52 | 202836 | COVER, Pump Guard | 1 |


LEACH PUMP MOUNTING



LEACH PUMP MOUNTING


| REF. NO | PART NO. | DESCRIPTION | QTY. |
|---------|------------|--|------|
| 1 | F0979 | SCREW, Cap 1/2" x 1 1/2" UNC | 4 |
| | F7975 | WASHER, Lock, 1/2" | 4 |
| 2 | 302651 | BRACKET, Pump | 1 |
| 3 | SK-2081 | BRACKET, Pump | 1 |
| 4 | P-16-1147 | BRACKET, Pump | 1 |
| 5 | P-16-470-1 | BRACKET, Pump, 15" | 1 |
| 6 | 41284 | BRACKET, Pump, 18" | 1 |
| 7 | P-16-470-2 | BRACKET, Pump, 20" | 1 |
| 8 | F1500 | SCREW, Cap, 5/8" x 2 3/4" UNC | 3 |
| | F8050 | WASHER, Lock, 5/8" | 3 |
| | F3475 | NUT, Lock, 5/8" UNC | 3 |
| 9 | 16249 | CLAMP | 1 |
| 10 | PO-591 | ADAPTER | 1 |
| 11 | @0018 | ELBOW, Street, 1 1/4" | 1 |
| 12 | P-16-1114 | ADAPTER | 2 |
| 13 | 16101 | O-RING | 2 |
| 14 | 307451-01 | PUMP | 1 |
| 15 | 17883 | HOSE | 1 |
| 16 | 1218 | KEY | 2 |
| 17 | F4725 | SCREW, Set 3/8" x 3/8" UNC Socket Head | 2 |
| 18 | 100879 | YOKE | 1 |
| 19 | 100404 | ADAPTER | 1 |
| 20 | 100878 | JOURNAL and Bearing Kit | 2 |
| 21 | 100903 | SHAFT | 1 |
| 22 | 100902 | YOKE | 1 |
| | P-16-798 | ASSEMBLY, (includes Items 18-19 & 21-23) | |
| 23 | @0139 | KEY, 5/16" | 1 |
| 24 | 100377 | HOSE | 1 |
| 25 | 17407 | FITTING, Swivel (Not Shown) | |

HOTSHIFT PTO CONTROLS



| REF. NO | PART NO. | DESCRIPTION | QTY. |
|---------|----------|---|------|
| 1 | 379193-1 | VALVE, Solenoid, (12 Volt Low Pressure) | 1 |
| 2 | 328751X | LIGHT, Indicator, (12 Volt) | 1 |
| 3 | NSS | TEE, Street | 1 |
| 4 | 100184 | SWITCH, Pressure | 1 |
| | NSS | TERMINAL, Wire | 2 |
| 5 | 35865 | FUSE HOLDER (9 Amp) | 1 |
| 6 | NSS | PLATE, Face | 1 |
| | NSS | BRACKET, Support | 1 |
| 7 | 378881 | SWITCH, Rocker | 1 |
| 8 | 101176 | HOSE | 1 |
| 9 | NSS | FITTING, Screen Adapter | 1 |
| | 328715X | 12 Volt Shift Installation Kit (Includes Items 1-9) Without Speed Limiter (Low Pressure For Allison) | 1 |
| | | NSS = Not Sold Separately | |


PTO CONTROLS, AIR 100920



| REF. NO | PART NO. | DESCRIPTION | QTY. |
|---------|----------|----------------------------|------|
| 1 | 31651 | LIGHT, Indicator | 1 |
| 2 | 36860 | CONNECTOR | 1 |
| 3 | 30138 | VALVE, Pressure Protection | 1 |
| 4 | 39218 | CONNECTOR, Male, 1/8" | 3 |
| 5 | 36862 | NUT, Tube | 1 |
| 6 | | TUBING, Nylon, 30" x 1/8" | 1 |
| 7 | 40756 | FUSE | 1 |
| 8 | 35865 | HOLDER, Fuse | 1 |
| 9 | 38778 | SWITCH, Pressure | 1 |
| 10 | @0159 | TEE, 1/8", Street | 1 |
| 11 | 37880 | VALVE, Air Control | 1 |
| 12 | 37878 | PLATE, Control, Mounting | 1 |
| 13 | N/A | SCREW, Slotted, 1/8" SAE | 4 |
| | N/A | WASHER, Lock, 1/8" SAE | 4 |
| | N/A | NUT, 1/8" SAE | 4 |
| 14 | 35210 | DECAL, Warning | 1 |
| 15 | N/A | BRACKET, Air Control | 1 |

SECTION 7


PACKER CYLINDER 210658 - ALPHA



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---------------------------|------|
| 1 | 108857 | BARREL | 1 |
| 2 | 108858 | ROD | 1 |
| 3 | 108860 | RETAINER, Gland | 1 |
| 4 | F4725 | SET SCREW, Gland Retainer | 1 |
| 5 | 108859 | GLAND | 1 |
| 6 | 108854 | RETAINING RING, Internal | 1 |
| 7 | 108860 | PISTON | 1 |
| 8 | 108855 | BUSHING | 2 |
| 9 | F4079 | NUT, Nylock, 1 1/2" UNC | 1 |
| | 108862 | KIT, Seal | 1 |
| | 210658 | ASSEMBLY, Cylinder | 1 |

LEACH®


PACKER CYLINDER 406578 - BETA



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--|------|
| 1 | F5625 | SOCKET, Head Capscrew, 3/8" x 3/4" UNC | 6 |
| 2 | 30375 | SEGMENT, Lock | 3 |
| 3 | 16170 | FITTING, Grease | 2 |
| 4 | 404410 | ROD, Piston Weldment | 1 |
| 5 | 304439 | HEAD, Gland | 1 |
| 6 | 303107 | CASE Weldment, Packer Cylinder | 1 |
| 7 | 101341 | BEARING | 4 |
| | 406578 | PACKER, Cylinder Assembly | |
| | 109203 | REPAIR KIT | |

SECTION 7


PACKER CYLINDER 601366 - DELTA



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--------------------------|------|
| 1 | 109109 | GLAND, Retainer | 1 |
| 2 | F4725 | SCREW, Set | 1 |
| 3 | 108858 | ROD | 1 |
| 4 | 109106 | BARREL | 1 |
| 5 | 108855 | BUSHING | 2 |
| 6 | F4079 | NUT, Nylock, 1 1/2" UNC | 1 |
| | 41876 | WASHER | 2 |
| 7 | NSS | PISTON | 1 |
| 8 | NSS | GLAND | 1 |
| 9 | 108854 | RING, Internal Retaining | 1 |
| | 950044 | KIT, Seal | 1 |
| | 601366 | CYLINDER, Assembly | 2 |

LEACH®


CARRIER CYLINDER 210659 - ALPHA/BETA



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---------------------------|------|
| 1 | 108849 | BARREL | 1 |
| 2 | 108850 | ROD | 1 |
| 3 | 108853 | RETAINER, Gland | 1 |
| 4 | F4725 | SET SCREW, Gland Retainer | 1 |
| 5 | 108851 | GLAND | 1 |
| 6 | 108854 | RETAINING RING, Internal | 1 |
| 7 | 108852 | PISTON | 1 |
| 8 | 108855 | BUSHING | 2 |
| 9 | F4079 | NUT, Nylock, 1 1/2" UNC | 1 |
| | 108856 | KIT, Seal | 1 |
| | 210659 | ASSEMBLY, Cylinder | |

SECTION 7


CARRIER CYLINDER 210628 - DELTA



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---------------------------------------|------|
| 1 | 109124 | BARREL | 1 |
| 2 | 109125 | ROD | 1 |
| 3 | 108970 | SET SCREW, Gland Retainer (Not Shown) | 1 |
| 4 | 109126 | GLAND | 1 |
| 5 | 108955 | RETAINING RING, Internal | 1 |
| 6 | 109127 | PISTON | 1 |
| 7 | 108855 | BUSHING | 2 |
| 8 | F4079 | NUT, Nylock, 1 1/2" UNC | 1 |
| | 109130 | KIT, Seal | 1 |
| | 210628 | ASSEMBLY, Cylinder | 1 |

LEACH®


TAILGATE LIFT CYLINDER



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---|------|
| 1 | 922034 | KIT, Bleeder and Gasket | 1 |
| 2 | 108969 | RETAINING RING, Internal | 1 |
| 3 | 108844 | PLUNGER | 1 |
| 4 | 108843 | BARREL (Before Alpha/Beta s/n 4753, Delta s/n 5094) | 1 |
| | 701508 | BARREL (After Alpha/Beta s/n 4752, Delta s/n 5093) | 1 |
| 5 | 108845 | GLAND | 1 |
| 6 | 108970 | SET SCREW | 1 |
| | 108842 | KIT, Seal | 1 |
| | 108848 | TOOL, Feeder (Not Shown) | 1 |
| | 210629 | CYLINDER, Assembly (Before Alpha/Beta s/n 4753 Delta s/n 5094) | 2 |
| | 701479 | CYLINDER, Assembly (After Alpha/Beta s/n 4752 Delta s/n 5093) | 2 |

SECTION 7


TELESCOPING CYLINDER 210630-05 - 25 YARD



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|-----------------------------|------|
| 1 | 109099 | BARREL ASSEMBLY | 1 |
| 2 | 109100 | SLEEVE ASSEMBLY | 1 |
| 3 | 109101 | ROD ASSEMBLY | 1 |
| 4 | 108865 | RETAINER, GLAND | 1 |
| 5 | 109102 | RETAINER, GLAND | 1 |
| 6 | 100500 | SCREW, SET | 2 |
| 7 | 100503 | SLUG, NYLON | 2 |
| 8 | 100496 | RETAINING RING NUT, INT. 4" | 1 |
| | 109103 | RETAINING RING NUT, INT. 5" | 1 |
| 9 | 108870 | WEAR RING, 5" | 1 |
| | 100494 | WEAR RING, 4" | 1 |
| 10 | 109104 | SEAL KIT | 1 |
| | 201630-05 | CYLINDER | 1 |

LEACH®


PUSHOUT CYLINDER - 14, 16, 18, 20 YARD



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|------------------------------|------|
| 1 | 108874 | BEARING, Spherical | 1 |
| 2 | 108864 | PLUNGER, 14, 16, 18, 20 Yard | 1 |
| 3 | 108865 | GLAND, Retainer | 1 |
| 4 | NSS | BARREL, 14 Yard | 1 |
| | NSS | BARREL, 16 Yard | 1 |
| | NSS | BARREL, 18 Yard | 1 |
| | 108863 | BARREL, 20 Yard | 1 |
| 5 | 210663 | PIN, Cylinder Pivot | 1 |
| 6 | 108866 | SCREW, Set | 1 |
| 7 | 108867 | SLUG, Nylon | 1 |
| 8 | 950057 | KIT, Seal | 1 |
| 9 | 108868 | RETAINING RING, Internal | 1 |
| | 210630-01 | CYLINDER, Assembly, 14 Yard | 1 |
| | 210630-02 | CYLINDER, Assembly, 16 Yard | 1 |
| | 210630-03 | CYLINDER, Assembly, 18 Yard | 1 |
| | 210630-04 | CYLINDER, Assembly, 20 Yard | 1 |

SECTION 7


CONTAINER LIFTING DEVICE CYLINDER - 406582



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--|------|
| 1 | F5925 | CAPSCREW, Socket Head, Nylock | 6 |
| 2 | PO-2295 | SEGMENT, Lock | 3 |
| 3 | 305167 | HEAD, Gland | 1 |
| 4 | 16155 | O-RING, Head OD | 1 |
| 5 | 107045 | WIPER, Rod | 1 |
| 6 | 106991 | SEAL, Rod | 1 |
| 7 | 405800 | ROD, Piston | 1 |
| 8 | 405925 | CASE, Cylinder Weldment | 1 |
| 9 | 106990 | RING, Wear | 2 |
| 10 | 106992 | SEAL, Piston | 1 |
| 11 | 106994 | RING, Wear | 1 |
| 12 | 107089 | RING, Back Up | 1 |
| | 107854 | KIT, Repair (Includes Items 1, 4-6 and 9-12) | 1 |
| | 406582 | CYLINDER, Assembly | 1 |

LEACH®


HCA CYLINDER - 407028



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---------------------------|------|
| 1 | 109015 | RETAINER, Gland | 1 |
| 2 | F4725 | SET SCREW, Gland Retainer | 1 |
| 3 | 109013 | ROD | 1 |
| 4 | 108843 | BARREL | 1 |
| 5 | F4079 | NUT, Nylock, 1 1/2" UNC | 1 |
| 6 | 109016 | PISTON | 1 |
| 7 | 109014 | GLAND | 1 |
| 8 | 108955 | RETAINING RING, Internal | 1 |
| | 109030 | KIT, Seal | 1 |
| | 407028 | CYLINDER, Assembly | 1 |

SECTION 8

ELECTRICAL COMPONENTS




| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|---|------|
| 1 | 109059-01 | DECAL, Engine Speed Up (Dashboard) | 1 |
| 2 | 35865 | HOLDER, Fuse (Glass Type Fuse) | 1 |
| | 103157 | HOLDER, Fuse (Spade Type Fuse) | 1 |
| 3 | 15752 | SWITCH, Neutral Safety (Required With Some Automatic Transmissions) | 1 |
| 4 | 100527 | CONTROL, PTO/Overspeed (Chelsea) | 1 |
| 5 | 33179 | BUTTON, Speed Up | 1 |
| 6 | 38259 | LIGHT, Tailgate Ajar (Before Alpha/Beta s/n 4079, Delta s/n 5053) | 1 |
| | 102381 | BULB (For 38259 Light) | 1 |
| | 604802 | LIGHT, Tailgate Ajar (After Alpha/Beta s/n 4078, Delta s/n 5052) | 1 |
| 7 | 103050 | SWITCH, Overspeed (Muncie) | 1 |
| 8 | SK-2093 | BUZZER | 1 |
| | 604863 | BUZZER, Dual Rate | 1 |
| 9 | 104372 | BLOCK, Insulated Terminal | 1 |
| 10 | 378881 | SWITCH, Rocker | 1 |
| 11 | 102118 | RELAY | AR |
| 12 | SK-2092 | SWITCH, Toggle (Black) | 1 |
| | 604799 | SWITCH, Toggle (Green) | 1 |
| | 604798 | SWITCH, Toggle (Amber) | 1 |

LEACH®

SECTION 8

MOUNTING HARDWARE - Before Alpha/Beta

s/n 4212, Delta s/n 5059




**MOUNTING HARDWARE - Before Alpha/Beta
s/n 4212, Delta s/n 5059**

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|------------|--|------|
| 1 | 201133 | SILL, Wood, Tapered, 2.50 to 1.00, 20 YD | 2 |
| | 201134 | SILL, Wood, Tapered, 2.50 to 1.00, 25 YD | 2 |
| 2 | SR-8453 | SHIM, Truck Frame | AR |
| 3 | 38195 | BRACKET, Sill Retaining | AR |
| 4 | 200374 | BRACKET, Sill Retaining | AR |
| 5 | 108915-01 | SILL, Steel, 1/2" X 4" X 107", 14 YD | 2 |
| | 108915-02 | SILL, Steel, 1/2" X 4" X 129", 16 YD | 2 |
| | 108915-03 | SILL, Steel, 1/2" X 4" X 142", 18 YD | 2 |
| | 108915-04 | SILL, Steel, 1/2" X 4" X 155", 20 YD | 2 |
| | 108915-05 | SILL, Steel, 1/2" X 4" X 191", 25 YD | 2 |
| 6 | PO-543 | BRACKET, Left Front | AR |
| 7 | 40205 | BOLT, Shoulder, 1" Long | AR |
| | 2R-1658 | BOLT, Shoulder, 1 1/4" Long | AR |
| | 39939 | BOLT, Shoulder, 1 1/2" Long | AR |
| | 42026 | BOLT, Shoulder, 2" Long | AR |
| | 39966 | WASHER, 1/4" Thick | AR |
| | 41412 | WASHER, 3/8" Thick | AR |
| | 100100 | NUT, Nylock, 1" UNC | AR |
| 8 | P-16-626-4 | SHIM, 3/8" x 3" | AR |
| | P-16-626-5 | SHIM, 1/2" X 3" | AR |
| | P-16-626-3 | SHIM, 5/8" X 3" | AR |
| | P-16-626-2 | SHIM, 3/4" X 3" | AR |
| | P-16-626-1 | SHIM, 1" X 3" | AR |
| 9 | PO-542 | BRACKET, Right Front | AR |
| 10 | F2475 | BOLT, Front Mount | AR |
| | F3975 | NUT, Nylock, 1" | AR |
| 11 | 16107 | SPRING | AR |
| 12 | PO-1402 | MOUNTING SHOE | AR |
| 13 | 30161 | SHIM, 1/4" X 4" X 8" | AR |
| | 30162 | SHIM, 1/2" X 4" X 8" | AR |
| | 30163 | SHIM, 5/8" X 4" X 8" | AR |
| | 18141 | SHIM, 3/4" X 4" X 8" | AR |
| 14 | 16286 | SPACER, 1/4" X 3" | AR |
| | 16287 | SPACER, 1/2" X 3" | AR |
| | 16288 | SPACER, 5/8" X 3" | AR |
| | 16289 | SPACER, 3/4" X 3" | AR |
| 15 | 304743 | LATERAL, Restraint, Lower | 2 |
| 16 | 301638 | SHOE, Upper | AR |
| 17 | 304741 | LATERAL, Restraint, Upper | 2 |
| 18 | 206420 | SHIM, .0598" | AR |
| | 206421 | SHIM, .12" | AR |
| | 206422 | SHIM, .19" | AR |
| | 206423 | SHIM, .25" | AR |
| 19 | 206419 | PLATE, Wear | 1 |
| 20 | F0376 | CAPSCREW, 3/8" X 1 1/2" UNC | 8 |
| | F7875 | WASHER, Lock, 3/8" | 8 |
| | F2975 | NUT, 3/8" UNC | 8 |

SECTION 8

MOUNTING HARDWARE - After Alpha/Beta

s/n 4211, Delta s/n 5058




LEACH[®]

MOUNTING HARDWARE - After Alpha/Beta s/n 4211, Delta s/n 5058

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|------------|--|------|
| 1 | 202158 | SILL, Wood, 1 1/2" Straight, (Standard Sill for 14, 16, 18, 20 YD) | 2 |
| | 604794 | SILL, Wood, 3 1/2" to 1" Taper (Standard Sill for 25 YD) | 2 |
| 2 | 108915-01 | SILL, Steel, 1/2" X 4" X 107", 14 YD | 2 |
| | 108915-02 | SILL, Steel, 1/2" X 4" X 129", 16 YD | 2 |
| | 108915-03 | SILL, Steel, 1/2" X 4" X 142", 18 YD | 2 |
| | 108915-04 | SILL, Steel, 1/2" X 4" X 155", 20 YD | 2 |
| | 108915-05 | SILL, Steel, 1/2" X 4" X 191", 25 YD | 2 |
| 3 | 107417 | RETAINER, Sill (Used With Steel Sills) | AR |
| | F1425 | CAPSCREW, 5/8" X 2 1/4" UNC | AR |
| | F3500 | NUT, 5/8" UNC | AR |
| 4 | 605858 | RETAINER, Sill (Used With Wood Sills) | AR |
| | F1425 | CAPSCREW, 5/8" X 2 1/4" UNC | AR |
| | F3500 | NUT, 5/8" UNC | AR |
| | F7430 | WASHER, Hardened | AR |
| | F5350 | CARRIAGE BOLT, 3/8" X 4" UNC | AR |
| | F2975 | NUT, 3/8" UNC | AR |
| | F7250 | WASHER, 3/8" Flat | AR |
| | F7875 | WASHER, 3/8" Lock | AR |
| 5 | 602416 | RAIL, Mounting | 2 |
| 6 | 603736 | T-BOLT | 2 |
| | F3720 | NUT, Lock, 3/4" UNC | 2 |
| | F7475 | WASHER, Flat, 3/4" | 2 |
| 7 | 603826 | RESTRAINT, Lateral | 2 |
| 8 | F1790 | BOLT, 3/4" X 2 1/2" UNC GR. 8 | 4 |
| | F3715 | NUT, 3/4" UNC GR. 8 | 4 |
| | F7475 | WASHER, Flat, 3/4" | 4 |
| | F8075 | WASHER, Lock, 3/4" | 4 |
| 9 | 602569 | BRACKET, Body Mounting | 2 |
| 10 | 16107 | SPRING, Mounting | 2 |
| 11 | F1382 | BOLT, 5/8" X 1 3/4" UNC GR. 8 | 4 |
| | F7430 | WASHER, Hardened | 4 |
| | F8050 | WASHER, Lock, 5/8" | 4 |
| 12 | 203057 | SHIM, Rear Mounting, 1/8" | AR |
| | 16286 | SHIM, Rear Mounting, 1/4" | AR |
| | 16285 | SHIM, Rear Mounting, 3/8" | AR |
| | 16287 | SHIM, Rear Mounting, 1/2" | AR |
| | 16288 | SHIM, Rear Mounting, 5/8" | AR |
| | 16289 | SHIM, Rear Mounting, 3/4" | AR |
| 13 | P-16-626-4 | SHIM, 3/8" x 3" | AR |
| | P-16-626-5 | SHIM, 1/2" X 3" | AR |
| | P-16-626-3 | SHIM, 5/8" X 3" | AR |
| | P-16-626-2 | SHIM, 3/4" X 3" | AR |
| | P-16-626-1 | SHIM, 1" X 3" | AR |
| | 40205 | BOLT, Shoulder, 1" Long (Rear Mount, Not Shown) | 2 |
| | 2R-1658 | BOLT, Shoulder, 1 1/4" Long (Rear Mount, Not Shown) | 2 |
| | 39939 | BOLT, Shoulder, 1 1/2" Long (Rear Mount, Not Shown) | 2 |
| | 42026 | BOLT, Shoulder, 2" Long (Rear Mount, Not Shown) | 2 |
| | 39966 | WASHER, 1/4" Thick (Rear Mount, Not Shown) | 2 |
| | 41412 | WASHER, 3/8" Thick (Rear Mount, Not Shown) | 2 |
| | 100100 | NUT, Nylock, 1" UNC (Rear Mount, Not Shown) | 2 |

SECTION 8


SPEED UP (ELECTRICALLY OPERATED)



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|------------|---------------------------------------|------|
| 1 | 102118 | RELAY, Speed Up | 1 |
| 2 | SK-1734 | BRACKET | 1 |
| 3 | SK-1733 | SOLENOID, Speed Up, Assembly | 1 |
| | SK-2308 | SOLENOID Only | 1 |
| 4 | SK-6651 | CLAMP | 1 |
| | SK-1738 | YOKE, Clamp | AR |
| 5 | F4555 | SCREW, Set, Socket Head, 10-32 X 1/4" | 2 |
| 6 | F0125 | SCREW, Cap, 5/16" X 7/8" UNF | 1 |
| | F7175 | WASHER, Flat, 5/16" | 1 |
| 7 | SK-1735 | LEVER | 1 |
| 8 | SK-1736 | SCREW, Cap, Drilled | 1 |
| 9 | SK-1737 | CLAMP | 1 |
| 10 | SK-1733-10 | CABLE, Speed Up | 1 |
| 11 | SK-2092 | SWITCH, Toggle, Dash (Black) | 1 |
| 12 | 109059-01 | DECAL, Solenoid Instruction | 1 |

LEACH®


SPEED UP (AIR OPERATED)



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|------------|--|-------|
| 1 | 30138 | VALVE, Pressure Protection | 1 |
| 2 | 39217 | CONNECTOR | 2 |
| | 102653 | CONNECTOR | 2 |
| 3 | @0044 | TEE, 1/4" NPT | 1 |
| 4 | 39928 | ELBOW | 3 |
| 5 | 39923 | TUBING, 1/4" Nylon | 10 Ft |
| 6 | 16667 | VALVE, Solenoid | 1 |
| 7 | 39996 | MUFFLER | 1 |
| 8 | 18963 | CYLINDER, Air | 1 |
| 9 | 18965 | BRACKET | 1 |
| 10 | 18964 | COUPLER | 1 |
| 11 | F4555 | SCREW, Set, Socket Head, 10-32 X 1/4" UNF | AR |
| 12 | SK-1733-10 | CABLE, Speed Up | 1 |
| 13 | SR-6651 | CLAMP | AR |
| 14 | SK-1737 | CLAMP, Cable | 1 |
| | 202858 | CLAMP, Cable | 1 |
| 15 | SK-1738 | CLAMP, Yoke | AR |
| 16 | 36860 | NIPPLE, Hex, 1/4" | 1 |
| 17 | 102654 | CYLINDER, Air | 1 |
| 18 | 102653 | FITTING, Air Cylinder | 1 |
| | 104882 | FITTING, Air Cylinder, 1/16" NPT | 1 |
| 19 | 102655 | VALVE, Solenoid | 1 |
| 20 | 102791 | NIPPLE, Hex | 1 |
| 17 | SK-1738 | CLAMP, Yoke | AR |
| | 203141 | CYLINDER & Valve Assembly, (Includes Items 14-16 & 18) | 1 |
| | 203140 | KIT, Air Operated, Speed Up, (Includes Items 1-2, 5 & 9) | 1 |

SECTION 9

8,000 LB. WINCH ASSEMBLY




| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---|------|
| 1 | 100375 | WINCH | 1 |
| 2 | 101770 | MOTOR | 1 |
| 3 | 100356 | CONNECTOR, Male, O-Ring | 2 |
| 4 | 210879 | HOSE | 2 |
| 5 | 17718 | ELBOW | 2 |
| 6 | 307250 | ASSEMBLY, Cable | 1 |
| | 211133 | BRACKET, Winch Frame, Rear (Not Shown) | 1 |
| | 307013 | BRACKET, Winch Frame, Front (Not Shown) | 1 |
| | 406710 | BRACKET, Winch Frame, Side (Not Shown) | 2 |
| | 17718 | BRACKET, Winch Frame, Support, Vertical (Not Shown) | 2 |

LEACH®

SECTION 9

8,000 LB. WINCH 100375 AND MOTOR 101770




8,000 LB. WINCH 100375 AND MOTOR 101770

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--|------|
| 1 | N/A | SCREW, Set, 1/4" X 1/2" UNC | 1 |
| 2 | 100665 | HOUSING, Clutch | 1 |
| 3 | 100674 | BUSHING | 1 |
| 4 | 100673 | COLLAR | 1 |
| 5 | F4725 | SCREW, Set, 3/8" X 1/2" UNC | 1 |
| 6 | 100663 | DRUM, Cable | 1 |
| 7 | 100676 | KIT, Key | 1 |
| 8 | 100669 | SHAFT, Cable Drum | 1 |
| 9 | | SEAL, Oil (Included In Seal Kit 100680) | |
| 10 | 102278 | CASE, Gear | 1 |
| 11 | 102259 | PLUG | 3 |
| 12 | 100672 | BUSHING | 2 |
| 13 | 100681 | BEARING | 2 |
| 14 | | GASKET (Included In Seal Kit 100680) | 1 |
| 15 | | SEAL (Included In Seal Kit 100680) | 1 |
| | 100680 | KIT, Gasket & Seal, (Includes Items 9, 14-16 and 37) | 1 |
| 16 | | SCREW, Cap, Socket Head, 1/4" X 1 1/4" UNC | 4 |
| 17 | 102265 | BEARING, Roller | 2 |
| 18 | 100684 | SHAFT | 1 |
| 19 | N/A | LINK, Drive | 1 |
| 20 | | SEAL (Included In Seal Kit 100682, Items 20 and 28) | 3 |
| 21 | N/A | COVER | 1 |
| 22 | N/A | PLATE, Pressure | 1 |
| 23 | N/A | STATOR, Roller | 1 |
| 24 | N/A | PIN, Aligning | 1 |
| 25 | N/A | PLATE, Wear | 1 |
| 26 | 102264 | BEARING, Thrust | 2 |
| 27 | 102267 | KEY, Woodruff | 1 |
| 28 | | SEAL, Dust, (included In Seal Kit 100682, Items 20 and 28) | 1 |
| 29 | 100675 | COUPLER, Motor Shaft | 1 |
| 30 | 100666 | ADAPTER, Motor Mount | 1 |
| 31 | | SCREW, Cap, 1/4" X 3/4" UNC | 12 |
| 32 | | WASHER, Lock, 1/4" | 2 |
| 33 | 100664 | COVER, Gear Case | 1 |
| 34 | 100668 | GEAR | 1 |
| 35 | 100679 | COLLAR | 1 |
| 36 | 100671 | BUSHING | 1 |
| 37 | | GASKET (Included In Seal Kit 100680) | 1 |
| 38 | 100670 | WORM, Shaft | 1 |
| 39 | 100667 | HUB, Bearing | 1 |
| | 100375 | WINCH, Assembly | 1 |
| | 101770 | MOTOR, Assembly | 1 |

SECTION 9


12,000 LB. WINCH ASSEMBLY



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---|-------|
| 1 | 100596 | WINCH | 1 |
| 2 | 100597 | MOTOR | 1 |
| 3 | 210877 | HOSE | 2 |
| | 210869 | TUBE, Hose to Connector (Not Shown) | 2 |
| 4 | 108807 | CONNECTOR | 2 |
| 5 | 406710 | BRACKET, Winch Frame, Side | 2 |
| | 307013 | BRACKET, Winch Frame, Front (Not Shown) | 1 |
| | 211133 | BRACKET, Winch Frame, Rear (Not Shown) | 1 |
| | 210700 | BRACKET, Winch Frame Support, (Not Shown) | 2 |
| 6 | 307250 | ASSEMBLY, Winch Cable | 1 |
| | 100258 | HOSE, Drain, 5/8" ID (Not Shown) | 30 FT |
| | 100255 | CONNECTOR, Drain Line (Not Shown) | 2 |

LEACH®


HYDRAULIC MOTOR - 100597



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--|------|
| 1 | | SCREW, Cap, Socket Head, 5/8" X 2 3/4" UNC | 4 |
| 2 | NSS | END CAP (Not Sold Separately) | 1 |
| 3 | | O-RING (Included in 41366 Seal Kit) | 1 |
| 4 | NSS | ASSEMBLY, Cam Ring and Rotor (Not Sold Separately) | 1 |
| 5 | NSS | ASSEMBLY, Front Plate | 1 |
| 6 | | O-RING (Included in 41366 Seal Kit) | 1 |
| 7 | | SEAL (Included in 41366 Seal Kit) | 1 |
| 8 | 41363 | SNAP RING | 1 |
| 9 | 41364 | BEARING | 1 |
| 10 | NSS | SHAFT | 1 |
| 11 | 41362 | SNAP RING | 1 |
| 12 | NSS | BODY (Not Sold Separately) | 1 |
| 13 | | SEAL (Included in 41366 Seal Kit) | 1 |
| 14 | | WIPER (Included in 41366 Seal Kit) | 1 |
| 15 | @0139 | KEY | 1 |
| | 41366 | KIT, Seal (Includes Items 3, 6-7 and 13-14) | 1 |
| | 100597 | MOTOR, Assembly | 1 |

SECTION 9

12,000 LB. WINCH - 100596




12,000 LB. WINCH - 100596

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--|------|
| 1 | 16170 | FITTING, Grease | 1 |
| 2 | NSS | BRACKET, End Bearing | 1 |
| 3 | 102320 | KEY | 2 |
| 4 | 102311 | BREATHER | 1 |
| 5 | NSS | REDUCER, Breather | 1 |
| 6 | 102307 | BEARING | 2 |
| 7 | 102313 | SEAL | 1 |
| 8 | 102306 | GASKET | 2 |
| 9 | 102314 | ADAPTER | 1 |
| 10 | F0325 | SCREW, Cap, 3/8" X 1 1/4" UNC | 18 |
| 11 | 102315 | COUPLING | 1 |
| 12 | NSS | PLATE, Adapter | 1 |
| 13 | F6425 | SCREW, Cap, Socket Head, 5/8" X 2" UNC | 2 |
| 14 | 102296 | GASKET | 1 |
| 15 | NSS | COVER | 1 |
| 16 | F0150 | SCREW, Cap, 5/16" X 1" UNC | 8 |
| | F7775 | WASHER, Lock, 5/16" | 8 |
| 17 | @0208 | PLUG, Pipe, 1/2" NPT | 2 |
| 18 | 102297 | BUSHING | 2 |
| 19 | 102301 | GEAR | 1 |
| 20 | NSS | HUB, Gear | 1 |
| 21 | NSS | HOUSING, Gear | 1 |
| 22 | 102309 | KEY | 1 |
| 23 | 102305 | CAP, Bearing | 1 |
| 24 | 102308 | WORM GEAR | 1 |
| 25 | 102322 | DRUM | 1 |
| 26 | F4725 | SCREW, Set, 3/8" X 1/2" UNC | 1 |
| 27 | 102324 | BUSHING | 1 |
| 28 | 102325 | BUSHING | 1 |
| | 100596 | ASSEMBLY, Winch | 1 |

SECTION 9

LATCH AND GUIDE EAR ASSEMBLY, Before

ALPHA/BETA S/N 4046 DELTA S/N 5052



LATCH AND GUIDE EAR ASSEMBLY, Before


ALPHA/BETA S/N 4046, DELTA S/N 5052

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--|------|
| 1 | 307104 | WELDMENT, Light Guard | 2 |
| 2 | 203379 | WELDMENT, Sleeve Support | 2 |
| 3 | 200578 | PIPE, Container Stop | 1 |
| 4 | 203178 | PAD, Clamping | 2 |
| | F0979 | SCREW, Cap, 1/2" X 1 1/2" UNC | 4 |
| | F3325 | NUT, Nylock, 1/2" UNC | 4 |
| | F7375 | WASHER, Flat, 1/2" | 4 |
| 5 | 407013 | GUIDE EAR, Left Hand | 1 |
| 6 | 602231 | WELDMENT, Trunnion, Left Hand | 1 |
| 7 | 407018 | WELDMENT, Sill Extension (Includes Items 8 and 9) | 1 |
| 8 | 407017 | EXTENSION, Load Sill | 1 |
| 9 | 307364 | END CAP, Sill Extension | 2 |
| 10 | 211211 | WELDMENT, Pin and Link | 2 |
| 11 | 15016 | PIN, Link | 2 |
| 12 | 211331 | STOP GUARD, Hasp | 2 |
| 13 | 602232 | WELDMENT, Trunnion, Right Hand | 1 |
| 14 | 407012 | GUIDE EAR, Right Hand | 1 |
| 15 | 211189 | ARM, Latch | 2 |
| 16 | 108669 | SPRING PLUNGER | 2 |
| 17 | 15016 | PIN (Manual Container Attachment) | 4 |
| 18 | 100146 | CLEVIS, Double (Manual Container Attachment) | 2 |
| 19 | 102382 | CHAIN (Manual Container Attachment) | 2 |
| 20 | 100146 | LINK, Clevis | 2 |
| 21 | 100028 | HOOK (Manual Container Attachment) | 2 |
| 22 | 210737 | PIVOT, Arm | 2 |
| 23 | F0981 | SCREW, Cap, 1/2" X 1 1/2" UNC | 2 |
| | F3325 | NUT, Nylock, 1/2" UNC | 2 |
| | F7350 | WASHER, Flat, 1/2" | 2 |
| | 41876 | WASHER | 2 |

SECTION 9

LATCH AND GUIDE EAR ASSEMBLY, After

ALPHA/BETA S/N 4045, DELTA S/N 5051




LATCH AND GUIDE EAR ASSEMBLY, After

ALPHA/BETA S/N 4045, DELTA S/N 5052

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|--|------|
| 1 | 307104 | WELDMENT, Light Guard | 2 |
| 2 | 203379 | WELDMENT, Sleeve Support | 2 |
| 3 | 200578 | PIPE, Container Stop | 1 |
| 4 | 203178 | PAD, Clamping | 2 |
| | F0979 | SCREW, Cap, 1/2" X 1 1/2" UNC | 4 |
| | F3325 | NUT, Nylock, 1/2" UNC | 4 |
| | F7375 | WASHER, Flat, 1/2" | 4 |
| 5 | 602243 | GUIDE EAR, Left Hand | 1 |
| 6 | 602231 | WELDMENT, Trunnion, Left Hand (Includes Latch Assembly) | 1 |
| | 211197 | GUSSET | 1 |
| 7 | 602218 | EXTENSION, Load Sill | 1 |
| 8 | 211211 | WELDMENT, Pin and Link | 2 |
| 9 | 15016 | PIN, Link | 2 |
| 10 | 211331 | STOP GUARD, Hasp | 2 |
| 11 | 604244 | GUIDE EAR, Right Hand | 1 |
| 12 | 602232 | WELDMENT, Trunnion, Right Hand (Includes Latch Assembly) | 1 |
| | 211197 | GUSSET | 1 |
| 13 | 602255 | ARM, Latch (Standard) | 2 |
| 14 | 108669 | SPRING PLUNGER | 2 |
| 15 | 15016 | PIN (Manual Container Attachment) | 4 |
| 16 | 100146 | CLEVIS, Double (Manual Container Attachment) | 2 |
| 17 | 102382 | CHAIN (Manual Container Attachment) | 2 |
| 18 | 100146 | LINK, Clevis | 2 |
| 19 | 100028 | HOOK (Manual Container Attachment) | 2 |
| 20 | 602220 | PIVOT, Ear | 4 |
| 21 | F1750 | SCREW, Cap, 3/4" X 2 1/2" UNC | 2 |
| | F3730 | NUT, Lock, 3/4" UNC | 2 |

SECTION 9

CONTAINER PUSH BAR (CPB)





CONTAINER PUSH BAR (CPB)

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---|------|
| 1 | 407027 | WELDMENT, Container Lift (Includes Arms and Lift Bar) | 1 |
| | 307351 | WELDMENT, Arm, Left Hand (Standard) | 1 |
| | 307352 | WELDMENT, Arm, Right Hand (Standard) | 1 |
| | 602603 | WELDMENT, Arm, Left Hand (Extended for Tippers) | 1 |
| | 602602 | WELDMENT, Arm, Right Hand (Extended for Tippers) | 1 |
| | 306083 | END, Lift Tube (Mitered) | 2 |
| | 307365 | LIFT TUBE | 1 |
| 2 | 104389 | ELBOW, 90 Degree, O-RING | 2 |
| 3 | 211241 | HOSE, Cylinder, Rod End | 2 |
| 4 | 108777 | ELBOW, 45 Degree, O-RING | 2 |
| 5 | 211240 | HOSE, Cylinder, Case End | 2 |
| 6 | 100137 | FITTING, Bulkhead (Not Shown) | 4 |
| 7 | 108950 | SUPPORT, Hose, Twin (Not Shown) | 4 |
| 8 | 210787 | TUBE (For Rod End of Cylinders) | 2 |
| 9 | 210788 | TUBE (For Case End of Cylinders) | 2 |
| 10 | 18268 | FITTING, Union Tee | 2 |
| 11 | 210786 | TUBE (From Tee Fitting to Valve) | 2 |
| 12 | PO-205 | COVER, Pivot, Lower | 2 |
| | 211230 | SPACER, Lower Pivot | 2 |
| | F1630 | SCREW, Cap, 3/4" X 1 1/2" UNC | 2 |
| | F8075 | WASHER, Lock, 3/4" | 2 |
| 13 | 407028 | CYLINDER, Container Lift | 2 |
| 14 | PO-421 | RETAINER, Pin | 2 |
| | F0258 | SCREW, Cap, 3/8" X 3/4" UNC | 2 |
| | F7875 | WASHER, Lock, 3/8" | 2 |
| 15 | PO-420 | PIN, Pivot | 2 |
| 16 | 602333 | COVER, Pivot | 2 |
| | F0950 | SCREW, Cap, 1/2" X 1 1/4" UNC | 2 |
| | F7975 | WASHER, Lock, 1/2" | 2 |
| 17 | 602335 | PIN, Pivot, Upper | 2 |
| 18 | 307404 | PLATE, Upper Pivot | 2 |
| | 211217 | GUSSET, Pivot to Guide Ear (Not Shown) | 2 |
| 19 | 15269 | BEARING | 2 |

SECTION 9

CONTAINER LIFT CYLINDER (CLC)




LEACH®

CONTAINER LIFT CYLINDER (CLC)

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|-------------------------------------|------|
| 1 | 101864 | WASHER, Thrust | 3 |
| 2 | 101701 | BUSHING | 3 |
| 3 | 301451 | SHEAVE, Large (With 101701 Bushing) | 3 |
| 4 | 202218 | SHEAVE, Small (With 101702 Bushing) | 2 |
| 5 | 101702 | BUSHING | 2 |
| 6 | 202988 | PIN, Large Sheave | 1 |
| | F0022 | SCREW, Cap, 1/4" X 3/4" UNF | 3 |
| | F7750 | WASHER, Lock 1/4" | 3 |
| 7 | 301921 | WELDMENT, Cover | 1 |
| | F0100 | SCREW, Cap, 5/16" X 7/8" UNC | 4 |
| | F7200 | WASHER, Flat, 5/16" | 8 |
| | F7775 | WASHER, Lock, 5/16" | 4 |
| | F2850 | NUT, Hex, 5/16" UNC | 4 |
| 8 | F1725 | SCREW, Cap, 3/4" X 2" UNC | 1 |
| | F8075 | WASHER, Lock, 3/4" | 1 |
| | F3650 | NUT, Hex, 3/4" UNC | 1 |
| 9 | 406582 | CYLINDER, Winch | 1 |
| 10 | 41861 | STRAP, Cylinder | 1 |
| | F0960 | SCREW, Cap, 1/2" X 1 1/4" UNC | 2 |
| | F7975 | WASHER, Lock 1/2" | 2 |
| 11 | 202967 | PIN, Sheave | 1 |
| 12 | 202516 | WELDMENT, Pivot | 1 |
| | F0900 | SCREW, Socket Head, 1/2" X 1" UNC | 2 |
| 13 | 402088 | WELDMENT, Enclosure, Cylinder | 1 |
| 14 | 16170 | FITTING, Grease | 5 |
| 15 | 202989 | WELDMENT, Pin, Small Sheave | 2 |
| | F0022 | SCREW, Cap, 1/4" X 3/4" UNC | 3 |
| | F7750 | WASHER, Lock, 1/4" | 3 |
| 16 | 301803 | ASSEMBLY, Cable, 56 FT | 1 |
| 17 | 100308 | CLAMP, Cable | 3 |
| 18 | 211245 | ASSEMBLY, Roller Guide, Upper | 1 |
| 19 | 306078 | ASSEMBLY, Roller, Lower | 1 |
| | 305510 | ASSEMBLY, Container Lift Cylinder | 1 |

SECTION 9

CONTAINER LIFT CYLINDER HYDRAULICS




| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|---|------|
| 1 | 18258 | CONNECTOR, Straight Thread | 5 |
| 2 | 17718 | ELBOW | 2 |
| 3 | 306279 | TUBE, Assembly | 1 |
| 4 | 108108 | VALVE, Check, Orifice | 1 |
| 5 | 107851 | UNION, Straight Thread, O-Ring | 1 |
| 6 | 602895 | CARTRIDGE, Flow Control, Extend (Upper) | 1 |
| | 940112 | CARTRIDGE, Flow Control, Retact (Lower) | 1 |
| 7 | 306073 | VALVE, Flow Regulator (With Cartridges) | 1 |
| 8 | 16214 | CONNECTOR, Straight Thread | 1 |
| 9 | 306286 | TUBE, Assembly | 1 |
| 10 | F1076 | SCREW, Cap, 1/2" X 2 3/4" UNC | 2 |
| | F3325 | NUT, 1/2" UNC, Nylock | 2 |
| 11 | 107853 | ELBOW, 90 Degree, O-Ring | 1 |
| 12 | 17652 | ELBOW, 90 Degree, O-Ring | 1 |
| 13 | 306043-02 | HOSE | 2 |



SECTION 9

TIPPER HYDRAULICS - DUAL TIPPERS




TIPPER HYDRAULICS - DUAL TIPPERS

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|---|------|
| 1 | 102719 | ELBOW, 90 Degree, #16-20 | 2 |
| 2 | 603362 | VALVE, Diverter, Dual | 1 |
| | 306009-05 | HOSE, Assembly, Main Supply (Not Shown) | 1 |
| 3 | 5644-1616 | ADAPTER, #16 | 1 |
| 4 | 104844 | CONNECTOR, #6-6 | 2 |
| 5 | 102865 | VALVE, Directional Control | 2 |
| 6 | 605070 | LINK, Spool Lever | 4 |
| | 2722-0302 | PIN, Clevis | 4 |
| | F6670 | PIN, Cotter, 1/16" X 3/4" | 4 |
| 7 | 605061 | WELDMENT, Lever, LH | 1 |
| | 605062 | WELDMENT, Lever, RH | 1 |
| 8 | 17782 | GREASE ZERK | 2 |
| 9 | 106558 | ELBOW, 45 Degree, #6 | 4 |
| 10 | 305438-02 | HOSE, Assembly | 4 |
| 11 | 100267-02 | PLATE, Twin Weld | 8 |
| | 209657-04 | CUSHION, Twin, 3/4" OD (Set of Two) | 8 |
| | 100268-02 | COVER, Plate, Twin | 8 |
| | F0205 | SCREW, Cap, 5/16" X 1 3/4" UNC | 8 |
| 12 | 109048 | HOSE, Assembly | 4 |
| 13 | 107631-02 | PLATE, Twin Weld | 2 |
| | 107908-03 | PLATE, Safety | 4 |
| | 209656-03 | CUSHION, Twin, 3/4" OD, Tube (Set of Two) | 4 |
| | 107907-03 | BOLT, Stacking | 4 |
| | 107630-02 | PLATE, Cover | 2 |
| | F0031 | SCREW, Cap, 1/4" X 1 1/2" UNC | 4 |
| 14 | 5615-0006 | ELBOW, 90 Degree | 3 |
| | 5632-0006 | TEE, #6 | 1 |
| | 107076 | PLUG, #16-6 | 1 |
| 15 | 104844 | CONNECTOR, #6 - 6 | 2 |

SECTION 9

TIPPER HYDRAULICS - SINGLE TIPPER




TIPPER HYDRAULICS - SINGLE TIPPER

| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|-----------|--|------|
| 1 | 102719 | ELBOW, 90 Degree, #16-20 | 2 |
| 2 | 603360 | VALVE, Diverter, Dual | 1 |
| | 306009-05 | HOSE, Assembly, Main Supply (Not Shown) | 1 |
| 3 | 5644-1616 | ADAPTER, #16 | 1 |
| 4 | 104844 | CONNECTOR, #6-6 | 2 |
| 5 | 102865 | VALVE, Directional Control | 1 |
| 6 | 605070 | LINK, Spool Lever | 2 |
| | 2722-0302 | PIN, Clevis | 2 |
| | F6670 | PIN, Cotter, 1/16" X 3/4" | 2 |
| 7 | 605062 | WELDMENT, Lever | 1 |
| 8 | 17782 | GREASE ZERK | 1 |
| 9 | 106558 | ELBOW, 45 Degree, #6 | 2 |
| 10 | 305438-02 | HOSE, Assembly (For Right or Left Hand Tipper) | 2 |
| | 305438-03 | HOSE, Assembly (For Center Mount Tipper) | 2 |
| 11 | 100267-02 | PLATE, Twin Weld | 4 |
| | 209657-04 | CUSHION, Twin, 3/4" OD (Set of Two) | 4 |
| | 100268-02 | COVER, Plate, Twin | 4 |
| | F0205 | SCREW, Cap, 5/16" X 1 3/4" UNC | 4 |
| 12 | 109048 | HOSE, Assembly | 2 |
| 13 | 107631-02 | PLATE, Twin Weld | 1 |
| | 107908-03 | PLATE, Safety | 2 |
| | 209656-03 | CUSHION, Twin, 3/4" OD, Tube (Set of Two) | 1 |
| | 107907-03 | BOLT, Stacking | 2 |
| | 107630-02 | PLATE, Cover | 1 |
| | F0031 | SCREW, Cap, 1/4" X 1 1/2" UNC | 2 |
| 14 | 5615-0006 | ELBOW, 90 Degree | 1 |
| | 107076 | PLUG, #16-6 | 1 |
| 15 | 104844 | CONNECTOR, #6 - 6 | 1 |

SECTION 9


FIRE EXTINGUISHER OPTION



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|-----------------------------|------|
| 1 | 604840 | CHANNEL, 15" | 2 |
| | 604841 | CHANNEL, 20" | 2 |
| | 604842 | CHANNEL, 21 1/2" | 2 |
| | 604843 | CHANNEL, 39" | 2 |
| | 605702 | WELDMENT, T-Bolt | 3 |
| 2 | F7325 | WASHER, Flat, 7/16" | 3 |
| | F3190 | NUT, Lock, 7/16" UNC | 3 |
| | F0277 | SCREW, Cap, 3/8" X 1" UNC | 4 |
| 3 | F7875 | WASHER, Flat, 3/8" | 4 |
| | F2975 | NUT, 3/8" UNC | 4 |
| | 108172 | BRACKET, Fire Extinguisher | 1 |
| 4 | 104507 | EXTINGUISHER, Fire, 10 LB | 1 |
| | 103641 | EXTINGUISHER, Fire, 20 LB | 1 |
| | 604786 | BRACKET, Extinguisher Mount | 1 |
| 5 | 604786 | BRACKET, Extinguisher Mount | 1 |
| 6 | 604866 | SUPPORT | 1 |

LEACH®


PAPER BASKET OPTION



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|------------|-----------------------|------|
| 1 | 604840 | CHANNEL, 15" | 2 |
| | 604841 | CHANNEL, 20" | 2 |
| | 604842 | CHANNEL, 21 1/2" | 2 |
| | 604843 | CHANNEL, 39" | 2 |
| | 605702 | WELDMENT, T-Bolt | 4 |
| 2 | F7325 | WASHER, Flat, 7/16" | 4 |
| | F3190 | NUT, Lock, 7/16" UNC | 4 |
| | 2846-0003A | STRAP | AR |
| 4 | 405302 | WELDMENT, Basket, 48" | 1 |
| | 405304 | WELDMENT, Basket, 35" | 1 |

SECTION 9


TOOL BOX OPTIONS



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|---------------------------|-------------------------|
| 1 | 604840 | CHANNEL, 15" | 2 |
| | 604841 | CHANNEL, 20" | 2 |
| | 604842 | CHANNEL, 21 1/2" | 2 |
| | 604843 | CHANNEL, 39" | 2 |
| | 2 | 605702 | WELDMENT, T-Bolt |
| | F7325 | WASHER, Flat, 7/16" | 4 |
| | F3190 | NUT, Lock, 7/16" UNC | 4 |
| | 3 | 605215 | BRACKET, Tool Box Mount |
| 4 | 601066 | BOX, Tool, 24" | 1 |
| 5 | 601068 | BOX, Tool, 36" | 1 |
| | F0910 | SCREW, Cap, 1/2" X 1" UNC | 4 |
| | F7975 | WASHER, Lock, 1/2" | 4 |
| | F3350 | NUT, Hex, 1/2" UNC | 4 |

LEACH®


WATER COOLER HOLDER OPTION



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|-------------------------------|------|
| 1 | 604840 | CHANNEL, 15" | 2 |
| | 604841 | CHANNEL, 20" | 2 |
| | 604842 | CHANNEL, 21 1/2" | 2 |
| | 604843 | CHANNEL, 39" | 2 |
| | | | |
| 2 | 605702 | WELDMENT, T-Bolt | 4 |
| | F7325 | WASHER, Flat, 7/16" | 4 |
| | F3190 | NUT, Lock, 7/16" UNC | 4 |
| 3 | 35384 | WELDMENT, Water Cooler Holder | 1 |
| 4 | 104172 | HOOK, Double End Snap Lock | 1 |

SECTION 9

SIDE LADDER OPTION



| REF. NO. | PART NO. | DESCRIPTION | QTY. |
|----------|----------|-------------------------------|------|
| 1 | 15251 | HANDLE, Grab | 1 |
| 2 | 601302 | BRACKET, Ladder | 1 |
| 3 | 601303 | WELDMENT, Ladder | 1 |
| | F1780 | SCREW, Cap, 3/4" X 2 1/2" UNC | 2 |
| | F7475 | WASHER, Flat, 3/4" | 2 |
| | F3675 | NUT, Nylock, 3/4" UNC | 2 |

LEACH®







SECTION 10

SERVICE TOOLS

GENERAL

The Service Tools shown in this section will be required for some service and repair procedures. These tools are available from your local authorized Leach Distributor.

The actual use of each tool is described in Section 9, Service and Repair, of the appropriate service manual.



LEACH[®]

SERVICE TOOLS

| NO. | PART NO. | DESCRIPTION | EXPLANATION |
|------------|-----------------|----------------------|--|
| 1 | 30522 | Pressure Gauge | To Measure System Pressure |
| 2 | 100368 | Snap Connector | Quick Coupling For Pressure Gauges |
| 3 | T-SK-793-100-3 | Pin Puller | Remove Pivot Pins |
| 4 | 103081 | O-Ring Kit | Various Size O-Rings |
| 5 | T-SR-9541-20 | Pump Shaft Seal Tool | Install Seal |
| 6 | 970004 | Plunger Tool | Remove/Install Spring Loaded Plungers On Rear Loader Container Attachments |
| Not Shown | 900015 | Test Block | To Test Packer Section Circuit Relief |



CUSTOMER SUPPORT MANUAL/LITERATURE ORDER FORM

SHIP TO:

| LEACH INTERNAL USE ONLY | |
|-------------------------|-------|
| ORDERED BY: | _____ |
| DATE ORDERED: | _____ |
| DATE SHIPPED: | _____ |

| NO. | TITLE | QTY. |
|---------------------------------|--|-------|
| Current Production Units | | |
| 2RII | | |
| 105313 | 2RII PARTS, OVER 16000 | _____ |
| 105318 | 2RII SERVICE, OVER 16000 | _____ |
| 105319 | 2RII OPERATORS., OVER 16000 | _____ |
| ALPHA/BETA/DELTA | | |
| 105325 | PARTS, OVER 3500 | _____ |
| 105282 | SERVICE, OVER 3500 | _____ |
| 105283 | OPERATORS, OVER 3500 | _____ |
| 951134-5 | ALPHA COLOR SPECIFICATIONS | _____ |
| 9511134-8 | BETA COLOR SPECIFICATIONS | _____ |
| 9511134-7 | DELTA COLOR SPECIFICATIONS | _____ |
| 9603134-2 | AL/BE SUGGESTED SPECS | _____ |
| 9603134-3 | DELTA SUGGESTED SPECS | _____ |
| Other Publications | | |
| 105305 | 2" LEACH BINDER | _____ |
| 105309 | REARLOADER PRE-OP GUIDELINE | _____ |
| 105308 | ALL REARLOADER PARTS, SERVICE AND OPERATORS CD-ROM | _____ |
| 42495293 | PAINT COLOR CHART | _____ |
| 961134-5 | LEACH COLOR SPECIFICATIONS | _____ |
| 9603134-1 | LEACH SUGGESTED SPECIFICATIONS | _____ |
| 105286 | REARLOADER MOUNTING MANUAL | _____ |
| 105321 | REARLOADER CONTAINER HANDLING SYSTEMS | _____ |
| 105605 | CHASSIS REQUIREMENTS MANUAL | _____ |

| NO. | TITLE | QTY. |
|----------------------------------|--------------------------------|-------|
| Previous Production Units | | |
| 105291 | 2RII PARTS, 9719-16000 | _____ |
| 105615 | 2RII SERVICE, 9719-16000 | _____ |
| 105546 | 2RII PARTS, 8993-9718 | _____ |
| 105549 | 2RII SERVICE, 8993-9718 | _____ |
| 105567 | 2RII PARTS, 6972-8993 | _____ |
| 105544 | 2RII SERVICE, 6972-8993 | _____ |
| 105600 | 2RII PARTS, 0001-6972 | _____ |
| 105601 | 2RII SERVICE, 0001-6972 | _____ |
| 105557 | ALPHA PARTS, 2140-3500 | _____ |
| 105556 | ALPHA SERVICE, 2140-3500 | _____ |
| 105565 | BETA PARTS, 0001-2139 | _____ |
| 105563 | BETA SERVICE, 0001-2139 | _____ |
| 105295 | MILLENIUM PARTS | _____ |
| 105297 | MILLENIUM SERVICE | _____ |
| 105296 | MILLENIUM OPERATORS | _____ |
| 105616 | FL-104 SERIES B PARTS | _____ |
| 105596 | FL-104 SERIES B SERVICE | _____ |
| 105590 | SAFETY BOOKLET | _____ |
| LSAFE | SAFETY WALL POSTERS(6 PER SET) | _____ |

Send this form by Fax or Mail to:

Leach Company
 Attention Service Department
 P.O. Box 2608
 Oshkosh, WI 54903-2608

Fax: (920) 231-2712

Reward!

To the first person to notify us of an error in any of our publications!



If you find what you believe to be an error in any of our publications please complete the requested information and return the form to us by email. If you are the first, you will receive a hat by return mail.

- I believe I found an error:
- In the _____ manual | Part No. _____ | Page(s) _____
- It should say: _____
- Name: _____ Address: _____



THANKS FOR YOUR HELP!

MANUALS@LABRIEGROUP.COM





labriep^{plus}

OUR OFFICE IN THE U.S.

1198 Shattuck Industrial Blvd.
LaFayette, GA 30728

Toll Free: 1-800-231-2771
Telephone: 1-706-591-8764

MAILING ADDRESS

P.O. Box 530
LaFayette, GA 30728

PARTS AND WARRANTY

During Business Hours:
8:00 am - 6:00 pm Eastern Standard Time

TECHNICAL SUPPORT SERVICE

Toll Free: 1-800-231-2771
(24-hour Emergency Support)

EMAIL

USA Parts: partscenter@labriegroup.com
Canada Parts: labriepusQC@labriegroup.com
LabriePlus Service: labriepuservice@labriegroup.com
LabriePlus Warranty:
labriepuswarranty@labriegroup.com

455 1st Avenue
Levis, QC G6W 5M6

Toll Free: 1-877-452-2743
Customer Service: 1-877-452-2743

MAILING ADDRESS

455 1st Avenue
Levis, QC G6W 5M6

PARTS AND WARRANTY

During Business Hours:
8:00 am - 5:00 pm Eastern Standard Time

TECHNICAL SUPPORT SERVICE

Toll Free: 1-877-831-8250
(24-hour Emergency Support)

